



EXTERIOR DOORS

FIBERGLASS & STEEL
ENTRY DOORS | PATIO DOORS | FIRE DOORS





7
0
6

SHOWN ON COVER
Belleville Smooth Door With Crosswalk Glass
BLS-122-CWK-X | BLSSL-152-CWK-X

SHOWN ON THIS PAGE
VistaGrande Door With Clear Glass
VSG-426-010-1



INDEX

Family owned and operated since 1939.

Cleary Millwork & Wholesale Doors

proudly serves lumberyards, specialty millwork dealers, and contract hardware companies throughout New England and Eastern New York. Our years of strength can be directly attributed to our corporate philosophy to consistently provide our customers with the highest level of service, professionalism and sincere allegiance.

This Exterior Door catalog is a testament to Cleary Millwork's unwavering commitment to excellence. In collaboration with industry leaders, Masonite, ODL, and Endura, this catalog is a showcase of our collective dedication to creating entryways that redefine aesthetics and durability. From Masonite's iconic artistry to ODL's visionary glass solutions and Endura's cutting-edge components we are confident that we are providing the best exterior door system on the market.



How To Choose Your Door	2 - 6
Understand A Door Code	7
Performance Door	8 - 9
Stock Panel Doors	10
Exterior Door Collection	11
VistaGrande Clear Glass	12
VistaGrande Mini Blinds	13
VistaGrande SDL's	14 - 15
Heritage Flush Glazed	16 - 17
Heritage Fir	18 - 19
Heritage Smooth	20 - 21
Heritage SDL's	22 - 23
Glass Collection	24 - 25
Stock Exterior Decorative Glass	26 - 43
Special Order Exterior Decorative Glass	44 - 57
Textured Glass	58 - 59
Applied SDL / Simulated Divided Lites	60 - 61
Factory SDL's	62 - 63
Internal Grids	64
External Grids	65
Mini Blinds & Vents	66 - 67
Modern Doors	68 - 69
Clear Glass	70 - 71
French Patio Doors	72 - 73
Swing Patio Doors	74 - 75
Replacement Sized Patio Doors	76
Transoms	77
90 Minute Fire Doors	78
20 Minute Fire Doors	79 - 80
Masonite Glass Collection	81
Door Glass Frames	82 - 83
Entry System Rough Openings	84 - 85
Door Handing	86 - 87
Endura Sill, PanoLock+ & Astragals	88 - 90
Dog Doors	91
Prefinishing	92 - 93
Exterior Door Options	94 - 97

HOW TO CHOOSE YOUR DOOR

USE THESE SIMPLE STEPS TO CHOOSE YOUR DOOR



1 CHOOSE YOUR PANEL



Shown: Belleville. Mahogany Textured Fiberglass with Crosswalk glass

TEXTURED FIBERGLASS

Designed with the characteristics of real wood doors, but with superior durability and low maintenance.



Belleville. Mahogany Textured Fiberglass / BMT



Belleville. Oak Textured Fiberglass / BLT



VistaGrande. Fir Textured Fiberglass / VFT



Heritage. Fir Textured Fiberglass / HZT

SMOOTH FIBERGLASS

Smooth finish that's perfect for painting.



Belleville. Smooth Fiberglass / BLS



VistaGrande. Smooth Fiberglass / VSG




Heritage. Smooth Fiberglass / HZS

STEEL


Strong, secure and affordable in a variety of styles.



Masonite. Steel / MHD & MMS



FLUSH GLAZED



FLAT PANEL




BELLEVILLE®



HD STEEL

VISTAGRANDE® FLUSH-GLAZED



VistaGrande® Flush-Glazed doors offer a wider viewing area and cleaner appearance over traditional glass inserts.

Stile and rail features provide an authentic wood door look.



Fir

Smooth

HERITAGE SERIES® CRAFTSMAN STYLE WITH FLAT PANEL




FLUSH-GLAZED

The Heritage Series® door collection features authentic Craftsman and historically inspired designs, including opaque, flush-glazed and decorative glass options to complement a variety of homes.



Fir

Smooth



Fir

Flush-Glazed

Smooth

Flush-Glazed



Fir Flat Panel
With Glass &
Zeel Frame

Smooth Flat
Panel With
Glass & Zeel
Frame

BELLEVILLE® THE ORIGINAL FIBERGLASS



Belleville® doors feature distinct architectural details, a reinforced lock area and thousands of customizable glass and panel combinations.




Mahogany

Oak



Smooth
(shown in beige)

HD STEEL READY TO PAINT



Masonite® HD Steel doors come primed and ready to paint. These doors feature high-definition decorative panel profiles that closely replicate the appearance of a high-end wood door with the ultimate in security.



HD Steel

HOW TO CHOOSE YOUR DOOR

USE THESE SIMPLE STEPS TO CHOOSE YOUR DOOR

2

CHOOSE YOUR GLASS (ODL)



AVANT




BAROQUE



BAY POINT



BLANCA



BRISTOL



CADENCE




CATALINA



CELEBRATION



CHINCHILLA



CIRCUIT



COURTYARD



CROSSWALK



CUBED



CUMULUS




DITTO



DORIAN



ENTROPY



FROSTED



GRACE



GRAY TURTLE



HEIRLOOMS



JACINTO



LINEN



MAJESTIC




MARGATE




MICRO-GRANITE



MISTIFY



MONTEREY



NOUVEAU




OAK PARK



PARIS



RAIN



SALIX



STREAMED



SWIRL



TIMBER



TOPAZ



VAPOR



VILANO



WATERSIDE

3

CHOOSE YOUR FRAME SYSTEM

BASIC



STANDARD FRAME SYSTEM


JAMB FJ Primed Endura[®] jamb system

CASING FJ Primed exterior casing

SILL Endura[®] Z-AC self-adjusting articulating sill with sill cover (aluminum finish). Made up of all-composite substrates and synthetic caps and nosing. Includes construction cover.



BETTER



MASONITE PERFORMANCE DOOR

JAMB FrameSaver[®] jamb with a wood composite material that's so resistant to rot and insect damage, it's guaranteed for life with FrameSaver's transferable lifetime warranty.

CASING FrameSaver[®]

SILL Endura[®] Z-AC self-adjusting articulating sill with sill cover (aluminum finish). Made up of all-composite substrates and synthetic caps and nosing. Includes construction cover.



BEST




also available
in ready-to-stain

MASONITE PERFORMANCE DOOR FULL COMPOSITE FRAME SYSTEM

JAMB Stocked in prefinished white capped, primed white or ready to stain. This poly-fiber door frame system combines the strength of wood and the enhanced properties that make it moisture, rot and insect resistant. A unique formulation means the frames will not absorb or wick moisture, and will never warp or rot.

CASING PVC Brickmould

SILL Endura Z-AC self-adjusting articulating sill with sill cover (aluminum finish). Made up of all-composite substrates and synthetic caps and nosing. Includes construction cover.



HOW TO CHOOSE YOUR DOOR

USE THESE SIMPLE STEPS TO CHOOSE YOUR DOOR




4 CHOOSE YOUR HINGES

Match your hinge finish to other hardware hinges in your home, the coming color in your decorative glass, or to your handle set (or better yet, to all of these). We make it easy with 6 different hinge finishes to choose from.



5 CHOOSE YOUR TRIM




6 CHOOSE YOUR FINISHING OPTION

FORTRESS PREFINISHED

Let us save a step for you! Our Fortress Coating Systems™ prefinished doors offer a superior finish over site finished doors. Available in 18 standard paint colors and 22 stain colors, and an unlimited array of special order colors.





DOOR MATERIAL

	VistaGrande [®] Flush-Glazed Fiberglass VFT Fir Textured		MHD Masonite [®] High-Definition Steel
	VistaGrande [®] Flush-Glazed Fiberglass VGS Smooth		BLT Belleville [®] Oak Textured Fiberglass
	Heritage Fiberglass HFT Fir HGS Smooth		BMT Belleville [®] Mahogany Textured Fiberglass
	Heritage Flush-Glazed Fiberglass HZT Fir HZS Smooth		BLS Belleville [®] Smooth Fiberglass

GLASS LITE & SHAPE

Rectangle Lite	Camber-Top Lite	Round-Top Lite	Oval Lite	Fan Lite	Camber-Top Fan Lite

106	22" x 36"	Rectangle	404	22" x 48"	Rectangle
107	22" x 37 1/2"	Camber-Top	426	26" x 48"	Rectangle
114	14" x 64"	Rectangle	450	8" x 48"	Rectangle
120	20" x 64"	Rectangle	617	9" x 17"	Rectangle
122	22" x 64"	Rectangle	619	8" x 19"	Rectangle
126	26" x 36"	Rectangle	626	26" x 74"	Rectangle
129	8" x 36"	Rectangle	680	8" x 6"	Rectangle
135	22" x 10"	Fan	682	8" x 8"	Rectangle
137	22" x 10"	Camber-Top Fan	726	26" x 68"	Rectangle
151	8" x 64"	Rectangle	810	22" x 80"	Rectangle
152	7" x 64"	Rectangle	814	14" x 80"	Rectangle
160	20" x 36"	Rectangle	820	20" x 80"	Rectangle
217	22" x 17"	Rectangle	826	26" x 80"	Rectangle
228	22" x 10"	Rectangle	852	8" x 80"	Rectangle
304	16" x 40 3/4"	3/4 Oval	926	26" x 64"	Rectangle

GLASS DESIGN & CAMING

Shown:
Avant Glass | AV

BLACK CHROME STOCK

VISIBLE DOOR PANELS

X	1	2	4

Sample selection of door panels shown



Doors That Do More™

So much happens beyond just opening and closing, Cleary combines the state of the art Endura technology with the trusted dependability and beauty of Masonite doors for a quality door system you can count on.



MASONITE


BUILT WITH INDUSTRY-LEADING COMPONENTS

MASONITE PERFORMANCE DOORS & GLASS



1 TRUE SQUARE COMPOSITE EDGE

Fiberglass doors designed with the square edge details of a real wood door.*



2 POLYURETHANE CORE

Insulates 5x better than real wood for exceptional heat and cold resistance.



3 INSULATED GLASS


Reduces energy costs and prevents condensation.



4 FIBERGLASS SKIN

Resists warping, rotting, rusting and denting. The composite edge creates a complete barrier surrounding the wood within the door system.

PERFORMANCE DOOR FRAME & COMPONENTS



5 Z-ARTICULATING CAP SILL™ (Z-AC)

Automatically adjusts to form a watertight seal, even against imperfect openings.



6 COMPOSITE DOOR FRAME OR FRAMESAVER.

Never absorbs water, rot, cracks or wraps.



7 PE650. WEATHERSTRIPPING & SIMPLE SOLUTION. CORNER PAD PATENTED DESIGNS

Seals out air and water.



8 PANOLOCK+ (Optional)


A one-of-a-kind multi-point lock that works with off-the-shelf hardware at an affordable price.

Scan to check your locks capability



* Note: The image shown is of a door cutout, no wood is exposed on the final product.


STOCK PANEL DOORS




6 PANEL




FLUSH




2 PANEL
CAMBER TOP




2 PANEL
CHEYENNE




2 PANEL
SQUARE TOP



HERITAGE
WINSLOW



HERITAGE
LOGAN



HERITAGE
LINCOLN
PARK

HERITAGE SERIES™ - 6'8" & 8'0" - SINGLES

2868 HFT	-	-	-	-	-	✓	✓	✓
3068 HFT	-	-	-	-	-	✓	✓	✓
2868 HGS	-	-	-	-	-	✓	✓	✓
3068 HGS	-	-	-	-	-	✓	✓	✓
2880 HGS	-	-	-	-	-	✓	-	-
3080 HGS	-	-	-	-	-	✓	-	-

BELLEVILLE, MAHOGANY TEXTURED - 6'8" - SINGLES

2868 BMT	✓	-	-	✓	-	-	-	-
3068 BMT	✓	-	-	✓	-	-	-	-

BELLEVILLE, OAK TEXTURED - 6'8" - SINGLES

2868 BLT	✓	-	-	-	-	-	-	-
3068 BLT	✓	-	-	-	-	-	-	-

BELLEVILLE, SMOOTH - 6'8", 7'0" & 8'0" - SINGLES

2668 BLS	✓	-	-	-	-	-	-	-
2868 BLS	✓	✓	-	✓	-	-	-	-
21068 BLS	✓	-	-	-	-	-	-	-
2870 BLS	** ✓	-	-	-	-	-	-	-
3068 BLS	*** ✓	✓	-	✓	-	-	-	-
3070 BLS	** ✓	-	-	-	-	-	-	-
3080 BLS	✓	-	-	-	-	-	-	-

MASONITE, HD STEEL - 6'8" - SINGLES

MHD = Wood edge steel

MMS = Steel edge

2068 MHD	-	✓	-	-	-	-	-	-
2468 MHD	-	✓	-	-	-	-	-	-
2668 MHD	✓	✓	-	-	-	-	-	-
2668 MMS	✓	✓	-	-	-	-	-	-
2868 MHD	✓	✓	✓	-	✓	✓	-	-
2868 MMS	** ✓	✓	✓	-	-	-	-	-
21068 MHD	-	✓	-	-	-	-	-	-
21068 MMS	✓	✓	-	-	-	-	-	-
3068 MHD	✓	✓	✓	-	✓	✓	-	-
3068 MMS	** ✓	** ✓	✓	-	-	-	-	-
3668 MMS	-	** ✓	-	-	-	-	-	-

MASONITE, HD STEEL - 7'0" - SINGLES

3070 MHD	✓	✓	✓
3070 MMS	** ✓	** ✓	-

** Stocked panic and closure reinforced

*** Also available with panic and closure reinforced

Scan for
Fiberglass & Steel
Availability Chart



HERITAGE SERIES. FIBERGLASS


Dentil shelf available.



HFT
Heritage Fir
Textured
Fiberglass



HFT-1



HFT-2



HFT-3



HGS
Heritage
Smooth
Fiberglass



HGS-1



HGS-2



HGS-3


BELLEVILLE. TEXTURED FIBERGLASS



BMT
Mahogany
Fiberglass



BMT-2P



BMT-6



BLT
Oak
Fiberglass



BLT-6

BELLEVILLE. SMOOTH FIBERGLASS



BLS
Smooth
Fiberglass



BLS-X



BLS-2ST



BLS-2R0



BLS-2P



BLS-6

STEEL DOORS



MHD
HD Steel



MHD-X



MHD-2ST



MHD-2R0



MHD-3C



MHD-6

VISTAGRANDE® CLEAR GLASS



VISTAGRANDE. FIR TEXTURED FLUSH-GLAZED DOORS / CLEAR LOW-E ARGON GLASS



VFT
Textured
Fiberglass



VFT-926-010-X




VFT-426-010-1



VFT-126-010-1



VFTSL-152-010-X



VFTSL-450-010-1

VISTAGRANDE. SMOOTH FLUSH-GLAZED DOORS / CLEAR LOW-E ARGON GLASS



VSG
Smooth
Fiberglass



VSG-926-010-X



VSG-426-010-1




VSG-126-010-1



VSGSL-152-010-X



VSGSL-450-010-1



VFT	-	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

VISTAGRANDE® MINI BLINDS

VISTAGRANDE. SMOOTH FLUSH-GLAZED DOORS / RAISE, LOWER & TILT MINI BLINDS WITH CLEAR LOW-E GLASS



VSG
Smooth
Fiberglass



VSG-B926-01RL-X



VSG-B106-01RL-1



VSGSL-B152-01RL-X

- All sizes feature raise, lower and tilt functionality
- Security channels provide full privacy preventing light gaps when closed (no side or bottom gaps)
- Frame fits tight to glass—no large gaps
- Spacer bars not visible in sightline of frame
- Smoother, easier and more versatile dual-mechanism operation
- Soft coat Low-E option for Energy Star. compliance

	2'8"	3'0"	2'8"	3'0"	1'0"
6'8"					
	106-1	106-1	122-X	926-X	152-X
	B106-01RL-1	B106-01RL-1	B122-01RL-X	B926-01RL-X	B152-01RL-X
VSG	✓	✓	✓	✓	✓



DOOR SHOWN

VistaGrande Double Door
VSG-B926-01RL-X

VISTAGRANDE® APPLIED SDL'S



FIR TEXTURED FLUSH-GLAZED DOORS / APPLIED SDL'S

	APPLIED 4 LITE 3-1/2" BARS	APPLIED 4 LITE	APPLIED 4 LITE CRAFTSMAN	APPLIED 6 LITE	APPLIED 8 LITE	APPLIED 9 LITE PRAIRIE	APPLIED 10 LITE	APPLIED 15 LITE					
6'8"													
	106-504-1	106-506-1	106-509-1	126-504-1	126-506-1	126-509-1	120-504-X	120-506-X	120-508-X	120-509-X	120-510-X	120-512-X	120-515-X
VFT	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6'8"													
	122-504-X	122-506-X	122-508-X	122-509-X	122-510-X	122-512-X	122-515-X	404-504-1	404-506-1	404-508-1	404-512-1	426-504-1	426-506-1
VFT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6'8"													
	426-508-1	426-512-1	926-504-X	926-506-X	926-508-X	926-509-X	926-510-X	926-512-X	926-515-X				
VFT	✓	✓	✓	✓	✓	✓	✓	✓	✓				
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓				
6'8"													
	152-502-X	152-503-X	152-504-X	152-505-X	450-502-1	450-503-1	450-504-1			826-509P-X	926-509P-1	151-506P-X	852-506P-1
VFT	✓	✓	✓	✓	✓	✓	✓			-	-	-	-
VSG	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
6'8"													
	106-509P-1	126-509P-1	404-509P-1	426-509P-1	120-509P-X	122-509P-X	926-509P-X	152-506P-X	450-506P-1				
VFT	✓	✓	✓	✓	-	✓	✓	✓	✓				
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓				

VFT
Textured
Fiberglass

VSG
Smooth
Fiberglass

VISTAGRANDE APPLIED SDL'S

SMOOTH TEXTURED FLUSH-GLAZED DOORS / APPLIED SDL'S


	APPLIED 4 LITE 3-1/2" BARS								APPLIED 4 LITE			APPLIED 4 LITE CRAFTSMAN		APPLIED 6 LITE		APPLIED 8 LITE		APPLIED 9 LITE PRAIRIE		APPLIED 10 LITE		APPLIED 15 LITE		
8'0"	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0
	826-S04-X	826-S06-X	826-S08-X	826-S10-X	826-S12-X	826-S18-X	926-S04-1	926-S06-1	926-S08-1	926-S09-1	926-S10-1	926-S12-1	926-S15-1											
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8'0"	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0
	852-S02-X	852-S03-X	852-S04-X	852-S05-X	852-S06-X	151-S02-1	151-S03-1	151-S04-1	151-S05-1	151-S06-1														
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3-1/2" BARS	2'6	2'8	2'8	3'0	3'0	1'0	1'0	3'0	3'0	3'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0	1'0
	120-S04W-X	122-S04W-X	404-S03W-1	426-S03W-1	926-S04W-X	152-S04W-X	450-S03W-1	826-S05W-X	826-S06W-X	926-S04W-1	151-S04W-1	852-S05W-X	852-S06W-X											
VFT	-	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CRAFTSMAN GRIDS	3'0	3'0	3'0	3'0	2'6	2'6	2'8	2'8	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0
	106-S03C-1	106-S04C-1	126-S03C-1	126-S04C-1	120-S03C-X	120-S04C-X	122-S03C-X	122-S04C-X	926-S03C-X	926-S04C-X														
VFT	✓	✓	✓	✓	-	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6'8"	2'8	2'8	3'0	3'0	1'0	1'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0	3'0
	404-S03C-1	404-S04C-1	426-S03C-1	426-S04C-1	152-S03C-X	450-S03C-1	826-S03C-X	826-S04C-X	926-S03C-1	926-S04C-1	852-S03C-X	151-S03C-1												
VFT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
VSG	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

HERITAGE FLUSH-GLAZED

FIR TEXTURED FIBERGLASS CLEAR LOW-E GLASS



HZT-267-010-2



HZTSL-152-010-X


SMOOTH FIBERGLASS CLEAR LOW-E GLASS



HZS-267-010-2



HZSSL-152-010-X



CLEAR LOW-E GLASS / APPLIED SIMULATED DIVIDED LITES

	2'8"	3'0"	2'8"	3'0"	2'8"	3'0"	2'8"	3'0"	2'8"	3'0"	12" & 14"	12" & 14"	12" & 14"	12" & 14"
6'8"														
	217-2	267-2	217-S02-2	267-S02-2	217-S03-2	267-S03-2	217-S04-2	267-S04-2	217-S06-2	267-S06-2	152-010-X	152-S02C-X	152-S03C-X	152-S05-X
HZS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HZT	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



DOOR SHOWN

Heritage Flush-Glazed
HZT-267-010-2 | HZTSL-152-010-X

HERITAGE FIR TEXTURED FIBERGLASS / APPLIED SIMULATED DIVIDED LITES



HZT-267-S02-2




HZT-267-S03-2



HZT-267-S04-2



HZT-267-S06-2



HZTSL-152-S02C-X



HZTSL-152-S03C-X



HZTSL-152-S05-X

HERITAGE SMOOTH FIBERGLASS / APPLIED SIMULATED DIVIDED LITES



HZS-267-S02-2



HZS-267-S03-2



HZS-267-S04-2



HZS-267-S06-2



HZSSL-152-S02C-X



HZSSL-152-S03C-X



HZSSL-152-S05-X



Dentil Shelf Available



HZT
Heritage
Flush-Glazed
Fir Fiberglass



HZS
Heritage
Flush-Glazed
Smooth Fiberglass



DOOR SHOWN

Heritage Flush-Glazed with Applied 6 lite SDL's
HZT-267-S06-2

HERITAGE FIR

WITH ZEEL FRAME



OPAQUE



HFT-1

HFT-2

HFT-3

CLEAR LOW-E



HFT-122-010-X

HFT-106-010-1F

HFT-217-010-2

HFTSL-151-010-X

HFTSL-617-010-1

CROSSWALK



HFT-122-CWK-X

HFT-106-CWK-1F

HFT-217-CWK-2

HFTSL-151-CWK-X

HFTSL-617-CWK-1

DORIAN



HFT-122-DOR-X

HFT-106-DOR-1F

HFT-217-DOR-2

HFTSL-151-DOR-X

HFTSL-617-DOR-1

OAK PARK



HFT-122-KP-X

HFT-106-KP-1F

HFT-217-KP-2

HFTSL-151-KP-X

HFTSL-617-KP-1

TOPAZ



HFT-122-TPZ-X

HFT-106-TPZ-1F

HFT-217-TPZ-2

HFTSL-151-TPZ-X

HFTSL-617-TPZ-1



ALL HERITAGE GLASS DOORS SHOWN USE THE **ZEEL FRAME**

Designed to be stained or painted, the ZEEL frame blends seamlessly into the entry door, allowing the doorglass to take center stage.

This clean, low-profile look offers an alternative to flush-glazed doors that provides the benefits of a frame system with the style homeowners desire.

SCAN FOR FINISHING INSTRUCTIONS & PRODUCT DETAILS

ALL ZEEL FRAMES ARE SHIPPED WHITE. MUST BE PAINTED OR STAINED.



BLANCA



HFT-122-BLC-X HFT-106-BLC-1F HFT-217-BLC-2 HFTSL-151-BLC-X HFTSL-617-BLC-1

CHINCHILLA



HFT-122-CHA-X HFT-106-CHA-1F HFT-217-CHA-2 HFTSL-151-CHA-X HFTSL-617-CHA-1


VAPOR



HFT-122-VPR-X HFT-106-VPR-1F HFT-217-VPR-2 HFTSL-151-VPR-X HFTSL-617-VPR-1 BLANCA CHINCHILLA VAPOR

Textured & clear glass also available with SDL's

6'8"



HFT-1 HFT-122-X HFT-2 HFT-106-1F HFT-3 HFT-217-2 HFTSL-151-X HFTSL-617-1

	HFT-1	HFT-122-X	HFT-2	HFT-106-1F	HFT-3	HFT-217-2	HFTSL-151-X	HFTSL-617-1
OPAQUE	✓	-	✓	-	✓	-	-	-
CLEAR O10	-	✓	-	✓	-	✓	✓	✓
CROSSWALK CWK	-	✓	-	✓	-	✓	✓	✓
DORIAN DOR	-	✓	-	✓	-	✓	✓	✓
OAK PARK KP	-	✓	-	✓	-	✓	✓	✓
TOPAZ TPZ	-	✓	-	✓	-	✓	✓	✓
BLANCA BLC	-	✓	-	✓	-	✓	✓	✓
CHINCHILLA CHA	-	✓	-	✓	-	✓	✓	✓
VAPOR VPR	-	✓	-	✓	-	✓	✓	✓




Dentil Shelf
Optional

HERITAGE SMOOTH

WITH ZEEL FRAME



OPAQUE



HGS-1

HGS-2

HGS-3

CLEAR LOW-E



HGS-122-010-X

HGS-106-010-1F

HGS-217-010-2

HGS-151-010-X

HGS-617-010-1

CROSSWALK



HGS-122-CWK-X

HGS-106-CWK-1F

HGS-217-CWK-2

HGS-151-CWK-X

HGS-617-CWK-1

DORIAN



HGS-122-DOR-X

HGS-106-DOR-1F

HGS-217-DOR-2

HGS-151-DOR-X

HGS-617-DOR-1

OAK PARK



HGS-122-KP-X

HGS-106-KP-1F

HGS-217-KP-2

HGS-151-KP-X

HGS-617-KP-1

TOPAZ



HGS-122-TPZ-X

HGS-106-TPZ-1F

HGS-217-TPZ-2

HGS-151-TPZ-X

HGS-617-TPZ-1



ALL HERITAGE GLASS DOORS SHOWN USE THE **ZEEL FRAME**

Designed to be stained or painted, the ZEEL frame blends seamlessly into the entry door, allowing the doorglass to take center stage.

This clean, low-profile look offers an alternative to flush-glazed doors that provides the benefits of a frame system with the style homeowners desire.

SCAN FOR FINISHING INSTRUCTIONS & PRODUCT DETAILS

ALL ZEEL FRAMES ARE SHIPPED WHITE. MUST BE PAINTED OR STAINED.



BLANCA




HGS-122-BLC-X HGS-106-BLC-1F HGS-217-BLC-2 HGSSL-151-BLC-X HGSSL-617-BLC-1

CHINCHILLA



HGS-122-CHA-X HGS-106-CHA-1F HGS-217-CHA-2 HGSSL-151-CHA-X HGSSL-617-CHA-1

VAPOR



HGS-122-VPR-X HGS-106-VPR-1F HGS-217-VPR-2 HGSSL-151-VPR-X HGSSL-617-VPR-1 BLANCA CHINCHILLA VAPOR

Textured & clear glass also available with SDL's



Dentil Shelf
Optional

	6'8"								8'0"		
	HGS-1	HGS-122-X	HGS-2	HGS-106-1F	HGS-3	HGS-217-2	HGSSL-151-X	HGSSL-617-1	HGS-3	HGS-217-2	HGSSL-617-1
OPAQUE	✓	-	✓	-	✓	-	-	-	✓	-	-
CLEAR O10	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
CROSSWALK CWK	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
DORIAN DOR	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
OAK PARK KP	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
TOPAZ TPZ	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
BLANCA BLC	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
CHINCHILLA CHA	-	✓	-	✓	-	✓	✓	✓	-	✓	✓
VAPOR VPR	-	✓	-	✓	-	✓	✓	✓	-	✓	✓

HERITAGE SDL'S

WITH ZEEL FRAME



HERITAGE FIR TEXTURED FIBERGLASS / APPLIED SIMULATED DIVIDED LITES

Applied SDL's available for clear and textured glass.



HFT-217-S02-2 HFT-217-S03-2 HFT-217-S04-2 HFT-217-S06-2 HFTSL-151-S02C-X HFTSL-151-S03C-X HFTSL-151-S05-X HFTSL-617-S02-1 HFTSL-617-S04-1


HERITAGE SMOOTH TEXTURED FIBERGLASS / APPLIED SIMULATED DIVIDED LITES

Applied SDL's available for clear and textured glass.



HGS-217-S02-2 HGS-217-S03-2 HGS-217-S04-2 HGS-217-S06-2 HGSSL-151-S02C-X HGSSL-151-S03C-X HGSSL-617-S02-1 HGSSL-617-S04-1

Dentil Shelf
Optional



CLEAR



BLANCA



CHINCHILLA



VAPOR



ALL HERITAGE GLASS DOORS SHOWN USE THE **ZEEL FRAME**

Designed to be stained or painted, the ZEEL frame blends seamlessly into the entry door, allowing the doorglass to take center stage.

This clean, low-profile look offers an alternative to flush-glazed doors that provides the benefits of a frame system with the style homeowners desire.

SCAN FOR FINISHING INSTRUCTIONS & PRODUCT DETAILS



ALL ZEEL FRAMES ARE SHIPPED WHITE. MUST BE PAINTED OR STAINED.




FACTORY SDL'S WITH SPACER BARS

6'8"			8'0"		
	217-SS3-2	217-SS6-2		217-SS3-2	217-SS6-2
HFT	✓	✓	-	-	
HGS	✓	✓	✓	✓	



INTERNAL GRIDS

6'8"			8'0"		
	217-031-2	217-061-2		217-031-2	217-061-2
HFT	✓	✓	-	-	
HGS	✓	✓	✓	✓	
MHD	✓	✓	-	-	




Grille Type C
White Wide Traditional 7/8"

EXTERNAL GRIDS


6'8"			8'0"		
	217-03E-2	217-06E-2		217-03E-2	217-06E-2
HFT	✓	✓	HFT	-	-
HGS	✓	✓	HGS	✓	✓
MHD	✓	✓			

ODL GLASS COLLECTION

STOCK GLASS




AVANT P.27



BAROQUE P.62



BAY POINT P.29




BLANCA P.58



CADENCE P.31




CHINCHILLA P.58



CROSSWALK P.33



DORIAN P.35



OAK PARK P.37



PARIS P.39



TOPAZ P.41



VAPOR P.58




WATERSIDE P.43


ADDITIONAL NON-STOCK GLASS OPTIONS



CELEBRATION



CIRCUIT



CUBED



FROSTED




GRAY TURTLE



TIMBER

NON-STOCK GLASS



BRISTOL P.44



CATALINA P.45



COURTYARD P.46



CUMULUS P.58




ENTROPY P.47




GRACE P.48



HEIRLOOMS P.49



JACINTO P.50




LINEN P.58




MAJESTIC P.51




MARGATE P.52




MICRO-GRANITE P.58



MISTIFY P.53




MONTEREY P.54




NOUVEAU P.55



RAIN P.58



SALIX P.56



STREAMED P.58



SWIRL P.58



VILANO P.57

STOCK




BLACK CHROME
STOCK



MEDIUM PRIVACY



BLS
Smooth
Fiberglass



BLS-122-AV-X



BLS-404-AV-1



BLS-106-AV-1



BLS-106-AV-1P



BLS-106-AV-2



BLSSL-152-AV-X



BLSSL-450-AV-1



BLSSL-129-AV-1



BLT
Oak
Fiberglass



BLT-122-AV-X



BLT-106-AV-2



BLTSL-152-AV-X



BLTSL-129-AV-1



BMT
Mahogany
Fiberglass



BMT-122-AV-X



BMT-404-AV-1



BMT-106-AV-1P



BMT-106-AV-2



BMTSL-152-AV-X




BMTSL-450-AV-1



BMTSL-129-AV-1



MHD
Steel



MHD-122-AV-X



MHD-106-AV-1



MHD-106-AV-2




MHDSL-152-AV-X



MHDSL-129-AV-1

6'8"



122-X



404-1



106-1



106-1P



106-2



228-4



152-X




450-1



129-1

7'0"



122-X



106-1



106-2



152-X

8'0"



122-1



404-2



450-1

	122-AV-X	404-AV-1	106-AV-1	106-AV-1P	106-AV-2	228-AV-4	152-AV-X	450-AV-1	129-AV-1	122-AV-X	106-AV-1	106-AV-2	152-AV-X	122-AV-1	404-AV-2	450-AV-1
AB	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLS	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	-	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	-	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	-	✓	-	✓	-	✓	✓	-	-	-	-


STOCK



PATINA
STOCK



BLS
Smooth
Fiberglass



BLS-122-BPT-X



BLSSL-152-BPT-X



BLT
Oak
Fiberglass



BLT-122-BPT-X



BLTSL-152-BPT-X



BMT
Mahogany
Fiberglass



BMT-122-BPT-X



BMTSL-152-BPT-X



MHD
Steel




MHD-122-BPT-X



MHDSL-152-BPT-X

	6'8"		7'0"		8'0"
	122-X	152-X	122-X	152-X	122-1
AB	122-BPT-X	152-BPT-X	122-BPT-X	152-BPT-X	122-BPT-1
BLS	✓	✓	✓	✓	✓
BLT	✓	✓	-	-	-
BMT	✓	✓	-	-	-
MHD	✓	✓	✓	-	-

STOCK




PATINA
STOCK





BLS
Smooth
Fiberglass



BLS-122-CD-X



BLS-404-CD-1



BLS-304-CD-2



BLSL-152-CD-X



BLSL-450-CD-1



BLT
Oak
Fiberglass



BLT-122-CD-X



BLTSL-152-CD-X



BMT
Mahogany
Fiberglass



BMT-122-CD-X



BMT-404-CD-1



BMT-304-CD-2




BMTSL-152-CD-X



BMTSL-450-CD-1



MHD
Steel



MHD-122-CD-X



MHDSL-152-CD-X

	6'8"					7'0"		8'0"
	122-X	404-1	304-2	152-X	450-1	122-X	152-X	122-1
AB	122-CD-X	404-CD-1	304-CD-2	152-CD-X	450-CD-1	122-CD-X	152-CD-X	122-CD-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	✓	-	-	-	-
BMT	✓	✓	✓	✓	✓	-	-	-
MHD	✓	-	-	✓	-	✓	-	-

STOCK



PLATINUM NICKEL
STOCK

HIGH PRIVACY



BLS
Smooth
Fiberglass



BLS-122-CWK-X



BLS-404-CWK-1



BLS-106-CWK-1



BLS-106-CWK-1P



BLS-106-CWK-2



BLSSL-152-CWK-X



BLSSL-450-CWK-1



BLSSL-129-CWK-1



BLT
Oak
Fiberglass



BLT-122-CWK-X



BLT-106-CWK-2



BLTSL-152-CWK-X




BLTSL-129-CWK-1



BMT
Mahogany
Fiberglass



BMT-122-CWK-X



BMT-404-CWK-1



BMT-106-CWK-1P



BMT-106-CWK-2



BMTSL-152-CWK-X



BMTSL-450-CWK-1



BMTSL-129-CWK-1



MHD
Steel




MHD-122-CWK-X



MHD-106-CWK-1



MHD-106-CWK-2



MHDSL-152-CWK-X



MHDSL-129-CWK-1

	6'8"								7'0"				8'0"		
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1	122-X	106-1	106-2	152-X	122-1	404-2	450-1
AB	122-CWK-X	404-CWK-1	106-CWK-1	106-CWK-1P	106-CWK-2	152-CWK-X	450-CWK-1	129-CWK-1	122-CWK-X	106-CWK-1	106-CWK-2	152-CWK-X	122-CWK-1	404-CWK-2	450-CWK-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	-	✓	✓	-	-	-	-

STOCK



BLACK ALUMINUM
STOCK




SILVER ALUMINUM



HIGH PRIVACY



BLS
Smooth
Fiberglass




BLS-122-DOR-X



BLS-404-DOR-1



BLS-106-DOR-1



BLS-106-DOR-1P



BLS-106-DOR-2



BLSSL-152-DOR-X



BLSSL-450-DOR-1



BLSSL-129-DOR-1




BLT
Oak
Fiberglass



BLT-122-DOR-X



BLT-106-DOR-2



BLTSL-152-DOR-X



BLTSL-129-DOR-1



BMT
Mahogany
Fiberglass



BMT-122-DOR-X



BMT-404-DOR-1



BMT-106-DOR-1P



BMT-106-DOR-2



BMTSL-152-DOR-X



BMTSL-450-DOR-1



BMTSL-129-DOR-1



MHD
Steel



MHD-122-DOR-X



MHD-106-DOR-1



MHD-106-DOR-2



MHDSL-152-DOR-X




MHDSL-129-DOR-1

6'8"



122-X




404-1




106-1




106-1P



106-2



152-X



450-1



129-1

7'0"




122-X



106-1



106-2



152-X

8'0"



122-1




404-2



450-1

	122-DOR-X	404-DOR-1	106-DOR-1	106-DOR-1P	106-DOR-2	152-DOR-X	450-DOR-1	129-DOR-1	122-DOR-X	106-DOR-1	106-DOR-2	152-661-X	122-DOR-1	404-DOR-2	450-DOR-1
AB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	✓	-	✓	-	-	-	-

STOCK




PATINA
STOCK

LOW PRIVACY



BLS
Smooth
Fiberglass



BLS-122-KP-X



BLS-404-KP-1



BLS-106-KP-1



BLS-106-KP-1P



BLS-106-KP-2



BLSL-152-KP-X



BLSL-450-KP-1



BLSL-129-KP-1



BLT
Oak
Fiberglass



BLT-122-KP-X



BLT-106-KP-2



BLTSL-152-KP-X



BLTSL-129-KP-1



BMT
Mahogany
Fiberglass



BMT-122-KP-X



BMT-404-KP-1



BMT-106-KP-1P



BMT-106-KP-2



BMTSL-152-KP-X




BMTSL-450-KP-1




BMTSL-129-KP-1



MHD
Steel




MHD-122-KP-X



MHD-106-KP-1



MHD-106-KP-2




MHDSL-152-KP-X



MHDSL-129-KP-1

	6'8"								7'0"				8'0"		
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1	122-X	106-1	106-2	152-X	122-1	404-2	450-1
AB	122-KP-X	404-KP-1	106-KP-1	106-KP-1P	106-KP-2	152-KP-X	450-KP-1	129-KP-1	122-KP-X	106-KP-1	106-KP-2	152-KP-X	122-KP-1	404-KP-2	450-KP-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	✓	✓	✓	-	-	-	-

STOCK




PATINA
STOCK



MEDIUM PRIVACY



BLS
Smooth
Fiberglass



BLS-122-PS-X



BLS-404-PS-1



BLS-106-PS-1



BLS-106-PS-1P




BLS-106-PS-2



BLSL-152-PS-X



BLSL-450-PS-1



BLSL-129-PS-1



BLT
Oak
Fiberglass



BLT-122-PS-X



BLT-106-PS-2



BLTSL-152-PS-X



BLTSL-129-PS-1



BMT
Mahogany
Fiberglass



BMT-122-PS-X



BMT-404-PS-1



BMT-106-PS-1P




BMT-106-PS-2



BMTSL-152-PS-X




BMTSL-450-PS-1




BMTSL-129-PS-1



MHD
Steel



MHD-122-PS-X



MHD-106-PS-1



MHD-106-PS-2




MHDSL-152-PS-X




MHDSL-129-PS-1


6'8"



7'0"



8'0"



	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1	122-PS-X	106-PS-1	106-PS-2	152-PS-X	122-PS-1	404-PS-2	450-PS-1
AB	122-PS-X	404-PS-1	106-PS-1	106-PS-1P	106-PS-2	152-PS-X	450-PS-1	129-PS-1							
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	✓	✓	✓	-	-	-	-

STOCK




PATINA
STOCK

MAX PRIVACY



BLS
Smooth
Fiberglass



BLS-122-TPZ-X



BLS-404-TPZ-1



BLS-106-TPZ-1



BLS-106-TPZ-1P



BLS-106-TPZ-2



BLSL-152-TPZ-X




BLSL-450-TPZ-1



BLSL-129-TPZ-1




BLT
Oak
Fiberglass



BLT-122-TPZ-X



BLT-106-TPZ-2



BLTSL-152-TPZ-X



BLTSL-129-TPZ-1



BMT
Mahogany
Fiberglass



BMT-122-TPZ-X




BMT-404-TPZ-1



BMT-106-TPZ-1P



BMT-106-TPZ-2



BMTSL-152-TPZ-X




BMTSL-450-TPZ-1



BMTSL-129-TPZ-1



MHD
Steel




MHD-122-TPZ-X



MHD-106-TPZ-1



MHD-106-TPZ-2



MHDSL-152-TPZ-X



MHDSL-129-TPZ-1

	6'8"								7'0"				8'0"		
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1	122-X	106-1	106-2	152-X	122-1	404-2	450-1
AB	122-TPZ-X	404-TPZ-1	106-TPZ-1	106-TPZ-1P	106-TPZ-2	152-TPZ-X	450-TPZ-1	129-TPZ-1	122-TPZ-X	106-TPZ-1	106-TPZ-2	152-TPZ-X	122-TPZ-1	404-TPZ-2	450-TPZ-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	✓	✓	✓	-	-	-	-

STOCK



BLACK CHROME
STOCK

HIGH PRIVACY



BLS
Smooth
Fiberglass



BLS-122-WTS-X



BLS-404-WTS-1




BLS-106-WTS-1




BLS-106-WTS-1P



BLS-106-WTS-2



BLSL-152-WTS-X



BLSL-450-WTS-1



BLSL-129-WTS-1



BLT
Oak
Fiberglass



BLT-122-WTS-X



BLT-106-WTS-2



BLTSL-152-WTS-X



BLTSL-129-WTS-1



BMT
Mahogany
Fiberglass



BMT-122-WTS-X



BMT-404-WTS-1



BMT-106-WTS-1P



BMT-106-WTS-2



BMTSL-152-WTS-X



BMTSL-450-WTS-1



BMTSL-129-WTS-1



MHD
Steel




MHD-122-WTS-X



MHD-106-WTS-1



MHD-106-WTS-2



MHDSL-152-WTS-X



MHDSL-129-WTS-1


	6'8"								7'0"				8'0"		
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1	122-X	106-1	106-2	152-X	122-1	404-2	450-1
AB	122-WTS-X	404-WTS-1	106-WTS-1	106-WTS-1P	106-WTS-2	152-WTS-X	450-WTS-1	129-WTS-1	122-WTS-X	106-WTS-1	106-WTS-2	152-WTS-X	122-WTS-1	404-WTS-2	450-WTS-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓	-	-	-	-	-	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	-	-	-	-	-	-	-
MHD	✓	-	✓	-	✓	✓	-	✓	✓	✓	✓	-	-	-	-

BRISTOL

MEDIUM PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass




BLS-122-BT-X



BLS-404-BT-1



BLS-106-BT-1



BLS-106-BT-1P



BLS-106-BT-2



BLS-304-BT-1



BLSL-152-BT-X



BLSL-450-BT-1



BLSL-129-BT-1



BLT
Oak
Fiberglass



BLT-122-BT-X



BLT-106-BT-2



BLTSL-152-BT-X



BLTSL-129-BT-1



BMT
Mahogany
Fiberglass




BMT-122-BT-X



BMT-404-BT-1




BMT-106-BT-1P



BMT-106-BT-2



BMT-304-BT-2



BMTSL-152-BT-X



BMTSL-450-BT-1



BMTSL-129-BT-1



MHD
Steel




MHD-122-BT-X



MHD-106-BT-1




MHD-106-BT-2












MHDSL-152-BT-X



MHDSL-129-BT-1



SATIN NICKEL

6'8"									
	122-X	404-1	106-1	106-1P	106-2	304-2	152-X	450-1	129-1
AB	122-BT-X	404-BT-1	106-BT-1	106-BT-1P	106-BT-2	304-BT-2	152-BT-X	450-BT-1	129-BT-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	-	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	-	✓	-	✓





BLS
Smooth
Fiberglass



BLS-122-CA-X



BLSSL-152-CA-X



BLT
Oak
Fiberglass



BLT-122-CA-X



BLTSL-152-CA-X



BMT
Mahogany
Fiberglass



BMT-122-CA-X



BMTSL-152-CA-X



MHD
Steel




MHD-122-CA-X




MHDSL-152-CA-X



BRONZE VEIN
WROUGHT IRON



AB	122-CA-X	152-CA-X
BLS	✓	✓
BLT	✓	✓
BMT	✓	✓
MHD	✓	✓




COURTYARD


MEDIUM PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-CTD-X



BLS-404-CTD-X



BLS-106-CTD-1



BLS-106-CTD-1P



BLS-106-CTD-2



BLSSL-152-CTD-X



BLSSI-450-CTD-1



BLSSI-129-CTD-1



BLT
Oak
Fiberglass



BLT-122-CTD-X



BLT-106-CTD-2



BLTSL-152-CTD-X



BLTSL-129-CTD-1



BMT
Mahogany
Fiberglass



BMT-122-CTD-X



BMT-404-CTD-X



BMT-106-CTD-1P



BMT-106-CTD-2



BMTSL-152-CTD-X



BMTSL-450-CTD-1




BMTSL-129-CTD-1



MHD
Steel



MHD-122-CTD-X



MHD-106-CTD-1



MHD-106-CTD-2



MHDSL-152-CTD-X




MHDSL-129-CTD-1



**NICKEL VEIN
WROUGHT IRON**

6'8"



122-X



404-1



106-1



106-1P




106-2



152-X




450-1



129-1

AB	122-CTD-X	404-CTD-1	106-CTD-1	106-CTD-1P	106-CTD-2	152-CTD-X	450-CTD-1	129-CTD-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-	✓




ENTROPY

LOW PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass




BLS-122-EN-X



BLSL-152-EN-X




BLT
Oak
Fiberglass




BLT-122-EN-X



BLTSL-152-EN-X



BMT
Mahogany
Fiberglass




BMT-122-EN-X



BMTSL-152-EN-X



MHD
Steel



MHD-122-EN-X




MHDSL-152-EN-X




**BLACK
CHROME**

6'8"



122-X



152-X

AB	122-EN-X	152-EN-X
BLS	✓	✓
BLT	✓	✓
BMT	✓	✓
MHD	✓	✓



GRACE


HIGH PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass





BLT
Oak
Fiberglass



BMT
Mahogany
Fiberglass



MHD
Steel



PATINA

PLATINUM
NICKEL

6'8"	122-X	404-1	106-1	106-1P	106-2	304-2	137-4	152-X	450-1	129-1
	122-GRC-X	404-GRC-1	106-GRC-1	106-GRC-1P	106-GRC-2	304-GRC-2	137-GRC-4	152-GRC-X	450-GRC-1	129-GRC-1
AB	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	-	-	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	-	✓	✓	✓
MHD	✓	-	✓	-	✓	-	✓	✓	-	✓



HEIRLOOMS

MEDIUM PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-HM-X



BLS-404-HM-1



BLS-106-HM-1



BLS-106-HM-1P



BLS-106-HM-2



BLS-304-HM-2



BLSSL-152-HM-X



BLSSL-450-HM-1



BLSSL-129-HM-1



BLT
Oak
Fiberglass




BLT-122-HM-X



BLT-106-HM-2



BLTSL-152-HM-X



BMT
Mahogany
Fiberglass



BMT-122-HM-X



BMT-404-HM-1



BMT-106-HM-1P



BMT-106-HM-2



BMT-304-HM-2



BMTSL-152-HM-X



BMTSL-450-HM-1



BMTSL-129-HM-1



MHD
Steel



MHD-122-HM-X



MHD-106-HM-1



MHD-106-HM-2



MHDSL-152-HM-X



BRASS



PLATINUM
NICKEL



SATIN
NICKEL

6'8"	122-X	404-1	106-1	106-1P	106-2	304-2	152-X	450-1	129-1
	122-HM-X	404-HM-1	106-HM-1	106-HM-1P	106-HM-2	304-HM-2	152-HM-X	450-HM-1	129-HM-1
AB	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	-	✓	-	-
BMT	✓	✓	-	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	-	✓	-	-




JACINTO

HIGH PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-JA-X



BLS-404-JA-1



BLS-106-JA-1



BLS-106-JA-1P



BLS-106-JA-2



BLSL-152-JA-X



BLSL-450-JA-1



BLT
Oak
Fiberglass



BLT-122-JA-X



BLT-106-JA-2



BLTSL-152-JA-X




BLTSL-450-JA-1




BMT
Mahogany
Fiberglass




BMT-122-JA-X



BMT-404-JA-1



BMT-106-JA-1P



BMT-106-JA-2



BMTSL-152-JA-X



BMTSL-450-JA-1



MHD
Steel




MHD-122-JA-X



MHD-106-JA-1



MHD-106-JA-2




MHD-152-JA-X




**BLACK
WROUGHT IRON**

6'8"							
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1
AB	122-JA-X	404-JA-1	106-JA-1	106-JA-1P	106-JA-2	152-JA-X	450-JA-1
BLS	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	✓
BMT	✓	✓	-	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-






BLS
Smooth
Fiberglass



BLS-122-ME-X



BLS-106-ME-1



BLS-106-ME-1P



BLS-106-ME-2



BLS-152-ME-X



BLS-129-ME-1



BLT
Oak
Fiberglass



BLT-122-ME-X



BLT-106-ME-2



BLT-152-ME-X



BLT-129-ME-1



BMT
Mahogany
Fiberglass



BMT-122-ME-X



BMT-106-ME-1P



BMT-106-ME-2




BMT-152-ME-X



BMT-129-ME-1



MHD
Steel



MHD-122-ME-X



MHD-106-ME-1




MHD-106-ME-2



MHD-152-ME-X



MHD-129-ME-1



**PLATINUM
NICKEL**



PATINA

6'8"						
	122-X	106-1	106-1P	106-2	152-X	129-1
AB	122-ME-X	106-ME-1	106-ME-1P	106-ME-2	152-ME-X	129-ME-1
BLS	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	✓	✓	✓
BMT	✓	-	✓	✓	✓	✓
MHD	✓	✓	-	✓	✓	✓



MARGATE

MAX PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-MRG-X



BLS-404-MRG-1



BLS-106-MRG-1



BLS-106-MRG-1P



BLS-106-MRG-2



BLSL-152-MRGSL-X



BLSL-450-MRGSL-1



BLSL-129-MRGSL-1



BLT
Oak
Fiberglass



BLT-122-MRG-X



BLT-106-MRG-2



BLTSL-152-MRG-X



BLTSL-129-MRG-1



BMT
Mahogany
Fiberglass



BMT-122-MRG-X



BMT-404-MRG-1



BMT-106-MRG-1P



BMT-106-MRG-2



BMTSL-152-MRG-X



BMTSL-450-MRG-1



BMTSL-129-MRG-1



MHD
Steel



MHD-122-MRG-X



MHD-106-MRG-1




MHD-106-MRG-2



MHDSL-152-MRG-X



MHDSL-129-MRG-1



PLATINUM
NICKEL

6'8"								
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1
AB	122-MRG-X	404-MRG-1	106-MRG-1	106-MRG-1P	106-MRG-2	152-MRG-X	450-MRG-1	129-MRG-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-	✓



MISTIFY


LOW PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass




BLS-122-MYB-X




BLS-404-MYB-1



BLS-106-MYB-1



BLS-106-MYB-1P



BLS-106-MYB-2



BLSL-152-MYB-X



BLSL-450-MYB-1



BLSL-129-MYB-1



BLT
Oak
Fiberglass



BLT-122-MYB-X



BLT-106-MYB-2



BLTSL-152-MYB-X



BLTSL-129-MYB-1




BMT
Mahogany
Fiberglass



BMT-122-MYB-X



BMT-404-MYB-1



BMT-106-MYB-1P



BMT-106-MYB-2



BMTSL-152-MYB-X



BMTSL-450-MYB-1




BMTSL-129-MYB-1



MHD
Steel



MHD-122-MYB-X



MHD-106-MYB-1




MHD-106-MYB-2



MHDSL-152-MYB-X



MHDSL-129-MYB-1



BLACK



WHITE

6'8"								
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1
AB	122-MYB-X	404-MYB-1	106-MYB-1	106-MYB-1P	106-MYB-2	152-MYB-X	450-MYB-1	129-MYB-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-	✓




MONTEREY

HIGH PRIVACY | SPECIAL ORDER




BLS
Smooth
Fiberglass




BLS-122-MO-X




BLS-404-MO-1



BLS-106-MO-1



BLS-106-MO-1P



BLS-106-MO-2



BLSSL-152-MO-X



BLSSL-450-MO-1




BLT
Oak
Fiberglass



BLT-122-MO-X



BLT-106-MO-1P



BLTSL-152-MO-X



BMT
Mahogany
Fiberglass



BMT-122-MO-X



BMT-404-MO-1



BMT-106-MO-1P



BMT-106-MO-2




BMTSL-152-MO-1




BMTSL-450-MO-1




MHD
Steel




MHD-122-MO-X



MHD-106-MO-1




MHD-106-MO-2










MHDSL-152-MO-X



PATINA




SATIN
NICKEL

6'8"							
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1
AB	122-MO-X	404-MO-1	106-MO-1	106-MO-1P	106-MO-2	152-MO-X	450-MO-1
BLS	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-
BMT	✓	✓	-	✓	✓	-	✓
MHD	✓	-	✓	-	✓	✓	✓





BLS
Smooth
Fiberglass



BLS-122-MN-X



BLS-404-MN-1



BLS-106-MN-1



BLS-106-MN-1P




BLS-106-MN-2




BLS-304-MN-2



BLS-137-MN-4



BLS-152-MN-X



BLS-129-MN-1



BLT
Oak
Fiberglass



BLT-122-MN-X



BLT-106-MN-2



BLTSL-152-MN-X



BLTSL-129-MN-1



BMT
Mahogany
Fiberglass




BMT-122-MN-X




BMT-404-MN-1



BMT-106-MN-1P



BMT-304-MN-2



BMTSL-152-MN-X




BMTSL-450-MN-1




BMTSL-129-MN-1



MHD
Steel



MHD-122-MN-X



MHD-106-MN-1



MHD-106-MN-2



MHD-137-MN-4




MHD-152-MN-1



MHD-129-MN-1




PATINA



PLATINUM
NICKEL

6'8"



122-X



404-1



106-1



106-1P




106-2



304-2



137-4



152-X



450-1



129-1

AB	122-MN-X	404-MN-1	106-MN-1	106-MN-1P	106-MN-2	304-MN-2	137-MN-4	152-MN-X	450-MN-1	129-MN-1
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	-	-	-	-	✓
BMT	✓	✓	-	✓	-	✓	-	✓	✓	✓
MHD	✓	-	✓	-	✓	-	✓	-	-	✓




SALIX


MAX PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-SLX-X



BLS-404-SLX-1



BLSL-152-SLX-X




BLT
Oak
Fiberglass




BLT-122-SLX-X




BLTSL-152-SLX-X




BMT
Mahogany
Fiberglass



BMT-122-SLX-X



BMT-404-SLX-1



BMTSL-152-SLX-X



MHD
Steel






MHD-122-SLX-X



MHDSL-152-SLX-X



PATINA


6'8"			
	122-X	404-1	152-X
AB	122-SLX-X	404-SLX-1	152-SLX-X
BLS	✓	✓	✓
BLT	✓	-	✓
BMT	✓	✓	✓
MHD	✓	-	✓



HIGH PRIVACY | SPECIAL ORDER



BLS
Smooth
Fiberglass



BLS-122-VLO-X



BLS-404-VLO-1



BLS-106-VLO-1



BLS-106-VLO-1P



BLS-106-VLO-2



BLSL-152-VLO-X



BLSL-450-VLO-1



BLSL-129-VLO-1



BLT
Oak
Fiberglass



BLT-122-VLO-X



BLT-106-VLO-2



BLTSL-152-VLO-X



BLTSL-129-VLO-1



BMT
Mahogany
Fiberglass



BMT-122-VLO-X



BMT-404-VLO-1



BMT-106-VLO-1P



BMT-106-VLO-2



BMTSL-152-VLO-X




BMTSL-450-VLO-1



BMT-129-VLO-1



MHD
Steel



MHD-122-VLO-X



MHD-106-VLO-1



MHD-106-VLO-2



MHDSL-152-VLO-X



MHDSL-129-VLO-1



PATINA

6'8"	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1
		122-VLO-X	404-VLO-1	106-VLO-1	106-VLO-1P	106-VLO-2	152-VLO-X	450-VLO-1
AB	✓	✓	✓	✓	✓	✓	✓	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓
BMT	✓	✓	-	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-	✓



TEXTURED GLASS




Blanca | BLC




Chinchilla | CHA



Vapor | VPR




Cumulus | CMS




Linen | LNN




Micro Granite | MG



Rain | RN



Streamed | STM



Swirl | SWL

6'8"								
	122-X	404-1	106-1	106-1P	106-2	152-X	450-1	129-1
S	122-BLC-X	404-BLC-1	106-BLC-1	106-BLC-1P	106-BLC-2	152-BLC-X	450-BLC-1	129-BLC-1
S	122-CHA-X	404-CHA-1	106-CHA-1	106-CHA-1P	106-CHA-2	152-CHA-X	450-CHA-1	129-CHA-1
NS	122-CMS-X	404-CMS-1	106-CMS-1	106-CMS-1P	106-CMS-2	152-CMS-X	450-CMS-1	129-CMS-1
NS	122-LNN-X	404-LNN-1	106-LNN-1	106-LNN-1P	106-LNN-2	152-LNN-X	450-LNN-1	129-LNN-1
NS	122-MG-X	404-MG-1	106-MG-1	106-MG-1P	106-MG-2	152-MG-X	450-MG-1	129-MG-1
NS	122-RN-X	404-RN-1	106-RN-1	106-RN-1P	106-RN-2	152-RN-X	450-RN-1	129-RN-1
NS	122-STM-X	404-STM-1	106-STM-1	106-STM-1P	106-STM-2	152-STM-X	450-STM-1	129-STM-1
NS	122-SWL-X	404-SWL-1	106-SWL-1	106-SWL-1P	106-SWL-2	152-SWL-X	450-SWL-1	129-SWL-1
S	122-VPR-X	404-VPR-1	106-VPR-1	106-VPR-1P	106-VPR-2	152-VPR-X	450-VPR-1	129-VPR-1
BMT	✓	✓	-	✓	✓	✓	✓	✓
BLT	✓	-	-	-	✓	✓	-	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	-	✓	✓	-	✓

7'0"					8'0"				
	122-X	106-1	106-2	152-X		122-1	151-1	404-2	450-1
S	122-BLC-X	106-BLC-1	106-BLC-2	152-BLC-X		122-BLC-1	151-BLC-1	404-BLC-2	450-BLC-1
S	122-CHA-X	106-CHA-1	106-CHA-2	152-CHA-X		122-CHA-1	151-CHA-1	404-CHA-2	450-CHA-1
NS	122-CMS-X	106-CMS-1	106-CMS-2	152-CMS-X		122-CMS-1	151-CMS-1	404-CMS-2	450-CMS-1
NS	122-LNN-X	106-LNN-1	106-LNN-2	152-LNN-X		122-LNN-1	151-LNN-1	404-LNN-2	450-LNN-1
NS	122-MG-X	106-MG-1	106-MG-2	152-MG-X		122-MG-1	217-MG-1	404-MG-2	450-MG-1
NS	122-RN-X	106-RN-1	106-RN-2	152-RN-X		122-RN-1	151-RN-1	404-RN-2	450-RN-1
NS	122-STM-X	106-STM-1	106-STM-2	152-STM-X		122-STM-1	151-STM-1	404-STM-2	450-STM-1
NS	122-SWL-X	106-SWL-1	106-SWL-2	152-SWL-X		122-SWL-1	151-SWL-1	404-SWL-2	450-SWL-1
S	122-VPR-X	106-VPR-1	106-VPR-2	152-VPR-X		122-VPR-1	151-VPR-1	404-VPR-2	450-VPR-1
BMT	-	-	-	-		-	-	-	-
BFT	-	-	-	-		-	-	-	-
BLT	-	-	-	-		-	-	-	-
BLS	✓	-	✓	✓		✓	✓	✓	✓
MHD	✓	✓	✓	-		-	-	-	-


BMT Belleville. Mahogany Textured	BLT Belleville. Oak Textured	VFT VistaGrande. Flush-Glazed Textured	HZT Winslow Flush Glazed Textured
BLS Belleville. Smooth	MHD Masonite. HD Steel	VSG VistaGrande. Flush-Glazed Smooth	HZS Winslow Flush Glazed Smooth
HFT Winslow Fir Textured	MMS Masonite. Steel Edge	HGS Winslow Smooth	

APPLIED SDL / SIMULATED DIVIDED LITES

ON LOW-E GLASS



CLEAR LOW-E & TEXTURED GLASS



	Blanca BLC	Chinchilla CHA	Vapor VPR	Cumulus CMS	Linen LNN	Micro Granite MG	Rain RN	Streamed STM	Swirl SWL	Clear O10			
6'8"													
	106-S04-1	106-S04-1P	106-S04-2	106-S06-1	106-S06-1P	106-S06-2	106-S09-1	106-S09-1P	106-S09-2	122-S04-X	122-S06-X	122-S08-X	
	BMT	-	✓	✓	-	✓	✓	-	✓	✓	✓	✓	
	BLT	-	-	✓	-	-	✓	-	✓	✓	✓	✓	
	BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MHD	✓	-	✓	✓	-	✓	✓	-	✓	✓	✓	
	6'8"												
		122-S09-X	122-S10-X	122-S12-X	122-S15-X	217-S02-2	217-S03-2	217-S04-2	217-S06-2	404-S04-1	404-S06-1	404-S08-1	
		BMT	✓	✓	✓	-	-	-	-	✓	✓	✓	
		BLT	✓	✓	✓	✓	-	-	-	-	-	-	
		BLS	✓	✓	✓	✓	-	-	-	✓	✓	✓	
		MHD	✓	✓	✓	✓	✓	✓	✓	✓	-	-	
6'8"													
		129-S02-1	129-S03-1	151-S03-X	151-S04-X	151-S05-X	152-S03-X	152-S04-X	152-S05-X	450-S02-1	450-S03-1	450-S04-1	
		BMT	✓	✓	-	-	-	✓	✓	✓	✓	-	
		BLT	✓	✓	-	-	-	✓	✓	✓	✓	-	
		BLS	✓	✓	-	-	-	✓	✓	✓	✓	✓	
		MHD	✓	✓	-	-	-	✓	✓	✓	-	-	
	7'0"												
		106-S04-1	106-S04-2	106-S06-1	106-S06-2	106-S09-1	106-S09-2	122-S04-X	122-S06-X	122-S08-X	122-S09-X	122-S10-X	122-S12-X
		BMT	-	-	-	-	-	-	-	-	-	-	-
		BLT	-	-	-	-	-	-	-	-	-	-	-
		BLS	-	✓	-	✓	-	✓	✓	✓	✓	✓	✓
		MHD	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7'0"													
		122-S15-X	152-S03-X	152-S04-X	152-S05-X								
		BMT	-	-	-								
		BLT	-	-	-								
		BLS	✓	✓	✓								
		MHD	✓	-	-								

SDL's can be applied to IG glass and Textured glass.

Please specify door height when ordering.

¹ Shown with optional dentil shelf.

APPLIED SDL / SIMULATED DIVIDED LITES

ON LOW-E GLASS

3'0" X 8'0"							
	122-S04-1	122-S06-2	122-S08-2	122-S09-X	122-S10-X	122-S12-X	122-S15-X
BLS	✓	✓	✓	✓	✓	✓	✓

3'0" X 8'0"												
	404-S04-2	404-S06-2	404-S08-2	404-S15-2	810-S04-X	810-S06-X	810-S08-X	810-S09-X	810-S10-X	810-S12-X	810-S15-X	810-S18-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

8'0"											
	151-S02-1	151-S03-1	151-S04-1	151-S05-1	450-S02-1	450-S03-1	450-S04-1	852-S03-X	852-S04-X	852-S05-X	852-S06-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

6'8"						3'0" X 8'0"				
	122-S09P-X	106-S09P-2	151-S06P-X	152-S06P-X	450-S06P-1		404-S09P-2	810-S09P-X	450-S06P-1	852-S06P-X
BMT	✓	✓	-	✓	-	-	-	-	-	-
BLT	✓	✓	-	✓	-	-	-	-	-	-
BLS	✓	✓	-	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	-	✓	-	-	-	-	-	-



Simulated divided lites profiles

SDL's can be applied to IG glass and Textured glass.

FACTORY SDL'S

WITH SPACER BARS




CLEAR LOW-E & TEXTURED GLASS



Clear | 010



Baroque













EVOLVE FRAME WITH
FACTORY SDL'S
& SPACER BARS










ZEEL FRAME WITH
FACTORY SDL'S
& SPACER BARS



CLEAR LOW-E GLASS WITH EVOLVE FRAME

7'0" & 8'0" configurations available



6'8"										
BMT	✓	✓	✓	✓	✓	✓	✓	-	✓	✓
BLT	✓	✓	✓	✓	-	-	-	-	-	✓
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	✓	-	-	-	✓	-	✓

6'8"							
BMT	✓	✓	✓	✓	✓	✓	✓
BLT	✓	✓	✓	-	-	-	✓
BLS	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	-	-	-	✓

BAROQUE GLASS WITH EVOLVE FRAME

6'8"		
BMT	✓	✓
BLT	-	-
BLS	✓	✓
MHD	-	-

CLEAR LOW-E GLASS WITH ZEEL FRAME

6'8"		
HGS	✓	✓
HFT	✓	✓

ALL ZEEL FRAMES ARE SHIPPED WHITE. MUST BE PAINTED OR STAINED.



ALL HERITAGE GLASS DOORS SHOWN USE THE **ZEEL FRAME**

Designed to be stained or painted, the ZEEL frame blends seamlessly into the entry door, allowing the doorglass to take center stage.


This clean, low-profile look offers an alternative to flush-glazed doors that provides the benefits of a frame system with the style homeowners desire.



INTERNAL GRIDS

LOW-E GLASS WITH EVOLVE FRAME

11/16"
Profile
Grille



6'8"											
	106-041-1	106-041-1P	106-041-2	106-091-1	106-091-1P	106-091-2	122-041-X	122-101-X	122-151-X	404-041-1	404-121-1
BMT	-	✓	✓	-	✓	✓	✓	✓	✓	✓	✓
BLT	-	-	✓	-	-	✓	✓	✓	✓	-	-
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	✓	-	✓	✓	✓	✓	-	-

6'8"			
	129-031-1	152-051-X	450-041-1
BMT	✓	✓	✓
BLT	✓	✓	-
BLS	✓	✓	✓
MHD	✓	✓	-


7'0"				
	106-091-1	106-091-2	122-101-X	122-151-X
BLS	✓	✓	✓	✓
MHD	✓	✓	✓	✓

3'0" X 8'0"						
	404-121-2	122-041-1	122-151-1	820-181-X	450-041-1	852-061-X
BLS	✓	✓	✓	✓	✓	✓

HERITAGE WITH LOW-E GLASS WITH ZEEL FRAME

6'8"			8'0"		
	217-031-2	217-061-2		217-031-2	217-061-2
HFT	✓	✓	-	-	
HGS	✓	✓	✓	✓	
MHD	✓	✓	-	-	

7/8"
Flat Bar



Dentil
Shelf
Optional

LOW-E GLASS WITH STANDARD FRAME

6'8"							
	106-09E-1	106-09E-1P	106-09E-2	122-15E-X	135-05E-4	129-03E-1	152-05E-X
BLS	✓	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	✓	✓	✓	✓

LOW-E GLASS WITH STANDARD FRAME

7'0"				
	106-09E-1	106-09E-2	122-15E-X	152-05E-X
BLS	-	✓	✓	✓
HFT	-	-	-	-
HGS	-	-	-	-
MHD	✓	✓	✓	-







LOW-E GLASS WITH ZEEL FRAME






6'8"			8'0"		
	217-03E-2	217-06E-2		217-03E-2	217-06E-2
BLS	-	-	-	-	
HFT	✓	✓	-	-	
HGS	✓	✓	✓	✓	
MHD	✓	✓	-	-	



MINI BLINDS & VENTS







MINI BLINDS / RAISE, LOWER AND TILT WITH LOW-E GLASS WITH EVOLVE FRAME

6'8"						
	B122-01RL-X	B404-01RL-1	B106-01RL-1	B106-01RL-2	B152-01RL-X	B129-01RL-1
BMT	✓	✓	-	✓	✓	✓
BLT	✓	-	-	✓	✓	✓
BLS	✓	✓	✓	✓	✓	✓
MHD	✓	-	✓	✓	✓	✓

7'0"				8'0"		
	B122-01RL-X	B106-01RL-2	B152-01RL-X		B404-01RL-2	B450-01RL-1
BLS	✓	✓	✓		✓	✓
MHD	✓	✓	-		-	-


Mini blinds stocked in white.

VENTING INSERTS

6'8"					7'0"		
	V106-010-1	V106-010-2	V106-12i-1	V106-12i-2		V106-010-2	V106-12i-2
BMT	-	-	-	-		-	-
BLT	-	-	-	-		-	-
BLS	✓	✓	✓	✓		✓	✓
MHD	✓	✓	✓	✓		✓	✓



5/8" Flat Bar



STOCK



WHITE

SPECIAL ORDER



ESPRESSO



SAND



SLATE GRAY



TAN




SILVER MOON



MODERN DOORS


BELLEVILLE[®] SMOOTH DOORS




BLS-151C-010-X



BLS-151H-010-X



BLS-151S-010-X




BLS-151C2-010-X



BLS-217C3-010-X



BLS-228C4-010-X



BLS-682CID-010-X



BLS-682C3D-010-X



BLS-682H3D-010-X



BLS-682S3D-010-X



BLS-682C3-010-X



BLS-682H3-010-X



BLS-682S3-010-X



BLS-682C4-010-X



BLS-682H4-010-X



BLS-682S4-010-X



BLS-682S5-010-X




BLS-682C5-010-X



BLS-682H5-010-X



BLS
Smooth
Fiberglass



MHD
HD Steel



6'8"									
CLEAR	151H-010-X	152H-010-X	151C-010-X	152C-010-X	151S-010-X	152S-010-X	151C2-010-X	152C2-010-X	217C3-010-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	✓	✓	✓	✓	✓	✓
BLANCA	151H-113-X	152H-113-X	151C-113-X	152C-113-X	151S-113-X	152S-113-X	151C2-113-X	152C2-113-X	217C3-113-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	✓	✓	✓	✓	✓	✓
CHINCHILLA	151H-116-X	152H-116-X	151C-116-X	152C-116-X	151S-116-X	152S-116-X	151C2-116-X	152C2-116-X	217C3-116-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	✓	✓	✓	✓	✓	✓
VAPOR	151H-140-X	152H-140-X	151C-140-X	152C-140-X	151S-140-X	152S-140-X	151C2-140-X	152C2-140-X	217C3-140-X
BLS	✓	✓	✓	✓	✓	✓	✓	✓	✓
MHD	✓	✓	✓	✓	✓	✓	✓	✓	✓
6'8"									
CLEAR	682H3-010-X	682S3-010-X	682C3-010-X	682H4-010-X	682S4-010-X	682C4-010-X	682H5-010-X		
BLS	✓	✓	✓	✓	✓	✓	✓		
MHD	✓	✓	✓	✓	✓	✓	✓		

H = Glass installed on HINGE side
 C = Glass CENTERED on door
 S = Glass installed on STRIKE side



151 glass has Zeel frame



152 glass has Evolve frame

CLEAR GLASS

BELLEVILLE. SMOOTH DOORS



*BLS-122-010-X



BLS-217-010-X



BLS-404-010-1



*BLS-106-010-1



*BLS-106-010-1P



BLS-106-010-2



° BLS-228-010-4



° BLS-135-010-4



° BLS-137-010-4



° BLS-682-010-4



* BLSSL-152-010-X



BLSSL-450-010-1



* BLSSL-129-010-1

BELLEVILLE. TEXTURED DOORS WITH LOW-E GLASS



BMT-122-010-X



BMT-404-010-1



BMT-106-010-1P



BMT-106-010-2



BMTSL-152-010-X



BMTSL-450-010-1



BMTSL-129-010-1

BELLEVILLE. TEXTURED DOORS WITH LOW-E GLASS



BLT-122-010-X



BLT-106-010-2



BLTSL-152-010-X



BLTSL-129-010-1

6'8"	*	*	*	*	o	o			
	106-010-1	106-010-1P	106-010-2	122-010-X	135-010-4	137-010-4	217-010-2		
	BMT	-	✓	✓	✓	-	-	-	
	BLT	-	-	✓	✓	-	-	-	
	BLS	✓	✓	✓	✓	✓	✓	-	
	MHD	✓	-	✓	✓	✓	✓	✓	
6'8"		o		o	o	*	*		
	217-010-X	228-010-4	404-010-1	680-010-4	682-010-4	129-010-1	152-010-X	450-010-1	
	BMT	-	-	✓	-	-	✓	✓	✓
	BLT	-	✓	-	-	-	✓	✓	-
	BLS	✓	✓	✓	-	✓	✓	✓	✓
	MHD	✓	✓	-	✓	-	✓	✓	-
7'0"	*	*	*	o	o	o	*		
	122-010-X	106-010-1	106-010-2	228-010-4	680-010-4	682-010-4	152-010-X		
	BLS	✓	-	✓	✓	-	✓	✓	
	MHD	✓	✓	✓	✓	✓	-	-	
8'0"			o	o					
	122-010-1	404-010-2	810-010-X	682-010-4	228-010-4	151-010-1	852-010-X	450-010-1	
	BLS	✓	✓	✓	✓	✓	✓	✓	


* Also stocked in IG glass for Steel & Belleville Smooth Fiberglass (BLS)

o Only stocked in IG glass


‡Shown with optional dentil shelf. MHD doors are available with wood-edge or steel-edge construction. Wood-edge sidelites are utilized on all MHD door units. All BFT and BLT doors shown are available with matching almond frames. All BMT doors shown are available with matching mahogany frames.

FRENCH PATIO DOORS


MASONITE. & VISTAGRANDE DOOR SELECTION AND STYLE




FP122-010-XLE
LOW-E



FP122-15I-XLE Internal Grilles
LOW-E




FP122-S09P-XLE
LOW-E




FP122-15E-XLE External Grilles
LOW-E


BLS	✓	✓	✓	✓
MHD	✓	✓	✓	✓



FP6068 926-010-LE-X
LOW-E




FP5068 122-S04-LE-X
LOW-E



FP6068 926-S04WLE-X
LOW-E


VSG	✓	✓	✓
VFT	✓	✓	✓



DUAL PATIO SCREENS



TWO ACTIVE SCREENS




FP6068 426-010-LE-1

LOW-E

VSG



VFT



FP6068 420-S04-LE-1

LOW-E




FRENCH PATIO ROUGH OPENINGS

5'0" x 6'8" = 62-3/4" x 82-1/2"
6'0" x 6'8" = 74-3/4" x 82-1/2"

FRENCH PATIO DOOR UNIT

- ▶ 4-9/16" primed jamb
- ▶ FJ primed brickmould
- ▶ Single bore (2-3/8" backset)
- ▶ Z-AC Series sill with sill cover (aluminum finish)
- ▶ Brass colored hinges
- ▶ Long reach compression PE650 weatherstrip (bronze)
- ▶ Endura Astragal
- ▶ Units priced with dual rail sill
- ▶ Stocked in 5'0" & 6'0" x 6'8" only
- ▶ Other sizes available as special order with extended lead time for screen kit
- ▶ For casing & other options see back of section
- ▶ Turn any door into a French patio unit
- ▶ Available upgrade with optional multi-point or flip lever astragal




FP6068 926-S15-LE-X

LOW-E

VSG




VFT




FP6068 426-S12-LE-1

LOW-E



FP6068-926-S10-LE-X

LOW-E



In-swing

**MULTI-POINT
ASTRAGAL**
Inswing
Insert Glass
DP45


6'8" DUAL SCREEN KIT

Kit includes all tracks, side rails and easy installation instructions for 4-9/16" x 6-9/16" jamb

- Sizes stocked in 5'0" and 6'0" x 6'8"

FRENCH DOOR

A French door consists of two operating doors that open in and engage in the center.




1 1/16"
Profile Grille

VISTAGRANDE SDL OPTIONS




SWING PATIO DOORS

VISTAGRANDE DOORS



6068 926-010-LE-X


LOW-E



5468 122-010-LE-X

LOW-E


APPLIED 3-1/2" SDL,
NO SPACER



6068 926-S04WLE-X


LOW-E

VSG	✓	✓	✓
VFT	✓	✓	✓



6068 426-010-LE-1

LOW-E




5468 404-010-LE-1

LOW-E

VSG	✓	✓
VFT	✓	✓


APPLIED SDL,
NO SPACER



6068 926-S15-LE-X

LOW-E


APPLIED SDL,
NO SPACER



6068 426-S12-LE-1

LOW-E

APPLIED SDL,
NO SPACER



6068-926-S10-LE-XX

LOW-E

VSG	✓	✓	✓
VFT	✓	✓	✓



APPLIED SDL
1-1/8" x 3/8"
Shown in almond. Also available in white.

PATIO ROUGH OPENINGS

- 5/0 x 6/8 = 64" x 82-1/2"
- 5/4 x 6/8 = 68" x 82-1/2"
- 6/0 x 6/8 = 76" x 82-1/2"
- *9/0 x 6/8 = 114" x 82-1/2"

*PRIMED, FRAMESAVER® OR
COMPOSITE JAMB




VISTAGRANDE SDL OPTIONS



SWING PATIO DOOR HANDING OPTIONS

A patio door has one operating door and one fixed door, giving the appearance of a french door.







Center hinge - In-swing

Right hand
In-swing

Left hand
In-swing

CLEAR LOW-E GLASS, INSERT LITES

	STANDARD RAISE, LOWER & TILT	APPLIED SDL Stocked 5/4 & 6/0 x 6/8
		
	122-010-X	122-S10X
	LOW-E	LOW-E
BMT	✓	✓
BLT	✓	✓
BLS	✓	✓
MHD	✓	✓

	APPLIED SDL, NO SPACER	
		
	122-151-X INTERNAL GRIDS	122-15E-X EXTERNAL GRIDS
	LOW-E	LOW-E
BMT	✓	✓
BLT	✓	✓
BLS	✓	✓
MHD	✓	✓

MASONITE® STEEL & FIBERGLASS PATIO DOORS:

- ▶ 4-9/16" primed jamb
- ▶ FJ primed brickmould
- ▶ Single bore (2-3/8" backset)
- ▶ Z-AC self-adjusting sill
- ▶ Long reach compression PE650 weatherstrip (bronze)
- ▶ Add for deadbolt
- ▶ Units available as fixed 1, 2, 3 or 4 wide units. Specify sill type or swing for proper matches.

TURN ANY DOOR INTO A SWING PATIO DOOR




OPTIONAL Multi-point PANOLOCK

CREATE YOUR OWN GLASS DESIGN WITH YOUR CHOICE OF GLASS SDL KIT OPTIONS

- ▶ Smooth or textured available
- ▶ Standard or prairie configurations available
- ▶ SDL's can be painted or stained
- ▶ Feature's strong, weather-resistant adhesive tape

CHOOSE YOUR GLASS 

CHOOSE YOUR SDL KIT 



11/16" Profile Grille


APPLIED SDL

1-1/8" x 3/8"

Shown in almond. Also available in white.




REPLACEMENT SIZED PATIO DOORS



BLS-122-010-XR


LOW-E

BLS



BLS-122-151R

LOW-E




BLS-122-151ER

LOW-E



REPLACEMENT PATIO ROUGH OPENINGS

6/0 x 6/8 = 72" x 80"



Center hinge - In-swing
Door unit dimensions 71" x 79 1/2"

HINGED PATIO

Inswing Outswing

INSERT GLASS INSERT GLASS

DP50 DP75



PATIO DOOR SYSTEM OPTIONS

		DOUBLE UNIT	TRIPLE UNIT
JAMB OPTIONS	FJ Primed Jambs - 6-9/16"	✓	✓
	Endura™ FrameSaver® - 4-9/16"	✓	✓
	Endura™ FrameSaver® - 6-9/16"	✓	✓
	Primed Composite - 4-9/16"	✓	✓
	Primed Composite - 6-9/16"	✓	✓
	White Capped - 4-9/16"	✓	-
	White Capped - 6-9/16"	✓	-
	Ready-to-Stain - 4-9/16"	✓	-
	Ready-to-Stain - 6-9/16"	✓	-
CASING	5/4 x 4" (1-1/16" x 3-1/2") Primed Flat Casing	✓	✓
	PVC Brickmould NO ROT ROT	✓	✓
	PVC Brickmould with "J" Channel NO ROT ROT	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing NO ROT ROT	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing with "J" Channel NO ROT ROT	✓	✓
MULTI-POINT LOCK	Pano+ Multi-Point Lock	✓	✓
	Pano+ Multi-Point Lock Strike Plate Kits: Satin Nickel and Brass	✓	-
	Pano+ Multi-Point Lock Strike Plate Kits: Black, Victorian Bronze, Stainless Steel	✓	-
	Prep & Install standard inswing Trilennium™ 3 Point hardware single swing unit (no handle set)	✓	-
	Trilennium™ Active 3 point Eclipse hardware set Brass for single swing door unit	✓	-
	Trilennium™ Active 3 point Eclipse hardware set Victorian for single swing door unit	✓	-
Trilennium™ Active 3 point Eclipse hardware set Satin Nickel for single swing door unit	✓	-	
LABOR	Bore for Deadbolt and Strike Prep (prep for Schlage deadbolt)	✓	-
SCREEN	White screen, specify size	✓	-

CLEAR GLASS

Applied to Door Units & Loose Units



WHITE CAP COMPOSITE JAMB

4-9/16"

6-9/16"



11/16"
Profile Grille

RECTANGULAR TRANSOM (PRIMED WOOD)

ITEM #	Dimension & Jamb Size (Unit Dimensions)	Clear IG Glass	Profiled GBG Unit	1-1/8" SDL
T103010	64-1/2" x 12-1/4"	✓	✓	✓
T123012	68-1/2" x 12-1/4"	✓	✓	✓
T28	33-1/2" x 12-1/4"	✓	✓	✓
T30	37-1/2" x 12-1/4"	✓	✓	✓
T60	74-1/2" x 12-1/4"	✓	✓	✓
PD60	75" x 12-1/4"	✓	✓	✓
6-9/16" JAMB AVAILABLE		✓	✓	-
FLAT CASING AVAILABLE		✓	✓	-








90 MINUTE FIRE DOOR ENTRY SYSTEM HUNG IN STEEL FRAME

1-3/4" METAL EDGE STEEL DOORS



MASONITE.



6 PANEL 90

FLUSH 90

FLUSH 1090

FLUSH 590R

2 PANEL CAMBER TOP

2 PANEL SQUARE TOP

3/0 x 6/8	✓ ●	✓ ●	✓ ●	✓ ●	✓	✓
2/10 x 6/8	✓	-	-	-	-	-
2/8 x 6/8	✓	✓	✓	✓	✓	✓
2/6 x 6/8	✓	✓	✓	✓	-	-
2/0 x 6/8	-	✓	-	-	-	-
3/0 x 7/0	✓ ▲	✓ ▲	✓ ▲	✓ ▲	-	-

● 3'0" x 6'8" also stocked with closer and panic reinforcement, see options below.

▲ Closer and panic reinforcement standard on all 3'0" x 7'0" panels.

ALL 7'0" FIRE DOORS STOCKED ONLY IN 3'0" WIDTH

KERF ADJUSTABLE STEEL FRAME STANDARD UNIT INCLUDES:

90-Minute MMS labeled panel

4-1/2" - 5-1/2" kerfed adjustable steel 90-minute frame

1 Pair 4 x 4 satin brass spring hinges

Single bore (2-3/8" Backset)

Extender kit, white weatherstrip and hardware shipped loose

ROUGH OPENING:

DOOR SIZE + 1-1/4" width, 1" height - ADA sill

DOOR SIZE + 1-1/4" width 1-1/2" height - High dam sill

KERF ADJUSTABLE STEEL FRAME OPTIONS

High dam or 1/2" ADA threshold inswing / outswing ♿ 7/0 only stocked ADA

1/2" tileback aluminum saddle threshold (ADA) ♿

4-1/2" width bumper outswing

5-1/2" x 6-1/2" extender package loose

6-1/2" x 7-1/2" extender package loose

7-1/2" - 8-1/2" extender package loose

8-1/2" - 9-1/2" extender package loose

Deadbolt prep 5-1/2" on center standard in adjustable steel frames

Cut down fire door in adjustable steel frame one cut up to 4" (this lowers lockbore)

Dull chrome spring hinges (1 pair)

Brass peepsite installed

Chrome peepsite installed

No sill

Closer & panic reinforcement

STANDARD



High dam

OPTIONAL



1/2" aluminum saddle threshold (ADA)

OPTIONAL




1/2" Tileback aluminum saddle threshold (ADA) available in 4-1/4" and 6-1/4" widths. Inswing use only

OPTIONAL



4-1/2" width bumper outswing



6 PANEL 20

Available in 2/0 & 2/4 MHD and 2/0 in MMS




FLUSH 20



2 PANEL SQUARE TOP

	BLS	MHD	MMS	BLS	MHD	MMS	BLS	MHD	MMS
3/0 x 6/8	✓	✓	● ✓	-	✓	● ✓	✓	✓	✓
2/10 x 6/8	-	-	✓	-	✓	-	-	-	-
2/8 x 6/8	✓	✓	● ✓	-	✓	✓	✓	✓	✓
2/6 x 6/8	-	✓	✓	-	✓	✓	-	-	-
3/0 x 7/0	-	✓	▲ ✓	-	✓	▲ ✓	-	✓	-



2 PANEL CAMBER TOP

Winslow



HERITAGE SERIES - CRAFTSMAN

Logan

Lincoln Park



HERITAGE SERIES - CRAFTSMAN

	BLS	MHD	MMS	HGS	MHD	MMS	HGS	MHD	MMS
3/0 x 6/8	-	✓	✓	✓	✓	-	✓	-	-
2/8 x 6/8	-	✓	✓	-	-	-	-	-	-

- 3'0" x 6'8" also stocked with closer and panic reinforcement, see options below.
- ▲ Closer and panic reinforcement standard on all 3'0" x 7'0" panels.

ALL 7'0" FIRE DOORS STOCKED ONLY IN 3'0" WIDTH

WOOD FRAME STANDARD UNIT INCLUDES:

20-Minute MHD labeled wood edge door on wood jamb (MMS is 90 minute steel edge door)

4-9-16" FJ primed weather stripped single rabbetted 20-minute frame

1-1/2" pair 4 x 4 satin brass non spring hinges

Single bore (2-3/8" backset)

Endura Z-AC articulating sill with sill cover (aluminum finish)

Long reach compression weatherstrip (bronze)

ROUGH OPENING:
DOOR SIZE + 2-1/4" width,
2-1/2" height

20-MINUTE LABELS ON MHD WOOD EDGE DOOR

90-MINUTE LABELS ON MMS STEEL EDGE DOOR

A rated door requires a closer device, CONSULT LOCAL CODES.

SPECIES: BLS Belleville® Smooth Fiberglass MHD Masonite® HD Steel, Wood-Edge MMS Masonite® HD Steel, Metal-Edge

WOOD SINGLE RABBET FRAME OPTIONS

6-9/16" finger jointed and primed jamb 6'8"

6-9/16" finger jointed and primed jamb 7'0"

Doors are bored with a 2-1/8" cylindrical hole with a 2-3/8" backset and a 1" x 2-1/4" edge bore, top of door to center of bore 43-11/16". Optional bore for deadbolt and strike prep jamb 2-3/4 x 1-1/8" (prepped for Schlage deadbolt) 5-1/2" on center.

No casing

Satin brass spring hinge (1 pair)

Panic & closer reinforcement in MMS 3068 door

Brass peepsite installed

Chrome peepsite installed

1/2" Inswing ADAptive ADA handicap sill with thermal break mill finish

1/2" Inswing tile back ADAptive ADA handicap sill with thermal break mill finish


1/2" outswing ADAptive ADA handicap sill with thermal break mill finish

ADAptive ADA sills are also available in bronze finish at an additional charge

4-9/16" outswing Z series bumper sill (aluminum)

6-9/16" outswing Z series bumper sill (aluminum)

No sill



STANDARD



Adaptive Sill Inswing



Adaptive Sill Outswing



Adaptive ADA Sill Tileback Cap Adapter (Shown On Ghost Sill)


The ADAptive Sill System protects against door unit failure and resulting service calls with a patent-pending design that achieves unprecedented water-rated performance.

20 MINUTE FIRE DOOR ENTRY SYSTEM HUNG IN STEEL FRAME

1-3/4" STEEL DOORS




MASONITE.




6 PANEL 20



FLUSH 20



2 PANEL CAMBER TOP



2 PANEL SQUARE TOP

3/0 x 6/8	● ✓	● ✓	● ✓	✓
2/10 x 6/8	✓	-	-	-
2/8 x 6/8	✓	✓	✓	✓
2/6 x 6/8	✓	✓	-	-
2/0 x 6/8	▲ -	▲ ✓	-	-
3/0 x 7/0	✓	✓	-	✓

- 3'0" x 6'8" also stocked with closer and panic reinforcement, see options below.
- ▲ Closer and panic reinforcement standard on all 3'0" x 7'0" panels.

ALL 7'0" FIRE DOORS STOCKED ONLY IN 3'0" WIDTH

KERF ADJUSTABLE STEEL FRAME STANDARD UNIT INCLUDES:

- 90-Minute MMS labeled panel
- 4-1/2" - 5-1/2" kerfed adjustable steel 90-minute frame
- 1 Pair 4 x 4 satin brass spring hinges
- Single bore (2-3/8" Backset)
- Extender kit, white weatherstrip and hardware shipped loose

ROUGH OPENING:

DOOR SIZE + 1-1/4" width,
1" height - ADA sill

DOOR SIZE + 1-1/4" width
1-1/2" height - High dam sill

KERF ADJUSTABLE STEEL FRAME OPTIONS

High dam or 1/2" ADA threshold inswing / outswing ♿ 7/0 only stocked ADA

1/2" tileback aluminum saddle threshold (ADA) ♿

4-1/2" width bumper outswing

5-1/2" - 6-1/2" extender package loose

6-1/2" - 7-1/2" extender package loose

7-1/2" - 8-1/2" extender package loose

8-1/2" - 9-1/2" extender package loose

Deadbolt prep 5-1/2" on center standard in adjustable steel frames

Cut down fire door in adjustable steel frame one cut up to 4" (this lowers lockbore)

Dull chrome spring hinges (1 pair)


Brass peepsite installed

Chrome peepsite installed

No sill

Closer & panic reinforcement

STANDARD



High dam

OPTIONAL



1/2" aluminum saddle threshold (ADA)

OPTIONAL



1/2" Tileback aluminum saddle threshold (ADA) available in 4-1/4" and 6-1/4" widths. Inswing use only

OPTIONAL



4-1/2" width bumper outswing

MASONITE GLASS COLLECTION

MASONITE DECORATIVE GLASS (SPECIAL ORDER)




Alston
338 AB



Avenue
339 AB



Brooklyn
947 WR



Chelsea
341 AB



Cruz
661 AB



Cuzco
364 AB



Element
327 P, 328 AB



Focus
627 P




Frontier
312 AB



Georgian
515 B, 517 P



Iron Springs
918 WR



Kordella
686 AB



Marco
331 AB



Naples
366 AB



Panama
725 P



Pergola
927 WR



Rozet
467 AB



Sequence
161 AB, 162 P



Star
845 AB, 846 P



Ventata
474 AB


TEXTURED



Chord
115



Double Water
113



Pear
116



Pearl
140



Quill
119

AB - Antique Black
BZ - Antique Bronze
P - Platinum
B - Brass
WR - Wrought Iron

Privacy Rating

1 — 3 — 10
Least Obscure — Most Obscure

DOOR GLASS FRAMES



For nearly 80 years, ODL has been manufacturing top-rated door glass framing systems offering the widest array of door glass frame styles, colors and materials in the industry to meet specific needs.



INNOVATION

ODL continues to reframe innovation and design with ZEEL®, a sleek, versatile frame that eliminates the need for screws and screw hole covers with an innovative clip system. Resolve® Sealant eliminates messy wet glaze and won't degrade over time.



DESIGN

Whether you choose to highlight a specific architectural style with our Spotlights® line or want the sleek, minimal look of ZEEL, ODL has the right frame to complement your design choice, whether it be classic craftsman or contemporary, or somewhere in between.



PERFORMANCE

Rigorous third-party testing assures that product performance meets design intent. ODL frames are tested to meet and exceed the North American Fenestration Standard (NAFS) for doors, including structural integrity, resistance to water penetration, air leakage and forced entry.

Our team can help you select the frame that's right for your home.

BASIC



STANDARD
Available in Oak or White

PERFORMANCE



EVOLVE[®]
with Resolve[®] Sealant
Available in Oak or White

PREMIUM



ZEEL[®]
with Resolve[®] Sealant
Available in White

SPECIALTY



EVOLVE SDL
Available in Oak or White



SEVERE WEATHER
Available in White



SPOTLIGHTS[®]
Available in White

AVOID COMMON PROBLEMS such as squeeze out, corner flare and yellowing by choosing the right frame for your door glass.



SQUEEZE OUT



CORNER FLAIR



FRAME YELLOWING

ENTRY SYSTEMS ROUGH OPENINGS

20-MINUTE ENTRY SYSTEMS HUNG IN STEEL FRAMES

SINGLE DOOR

NOMINAL DOOR SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOULD SIZE	
Width	Height	Width	Height	Width	Height	Width	Height
2'6"	6'8"	31-1/2"	82"	32-1/4"	82-1/2"	34"	83-1/4"
2'8"	6'8"	33-1/2"	82"	34-1/4"	82-1/2"	36"	83-1/4"
2'8"	8'0"	33-1/2"	98"	34-1/4"	98-1/2"	36"	99-1/4"
3'0"	6'8"	37-1/2"	82"	38-1/4"	82-1/2"	40"	83-1/4"
3'0"	8'0"	37-1/2"	98"	38-1/4"	98-1/2"	40"	99-1/4"

All dimensions shown are for inswing doors - deduct 1" from the actual door size, the rough opening size and the outside brickmould size height for outswing or handicap accessible doors. See product selection detailed in the catalog to determine if the entry door style you have selected is available. Recommended rough openings for the FAST-FRAME™ adjustable steel frame offering are different than the dimensions shown in this chart - see rough opening chart titled FAST-FRAME. Floor covering can affect rough opening heights.

SINGLE DOOR WITH ONE L/H OR R/H SIDELITE

NOMINAL DOOR SIZE		NOMINAL SIDELITE SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOULD SIZE	
Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
2'6"	6'8"	10-3/8"	6'8"	43-3/8"	82"	44-1/8"	82-1/8"	45-7/8"	83-1/4"
2'6"	6'8"	1'0"	6'8"	45"	82"	45-3/4"	82-1/2"	47-1/2"	83-1/4"
2'6"	6'8"	1'2"	6'8"	47"	82"	47-3/4"	82-1/2"	49-1/2"	83-1/4"
2'8"	6'8"	10-3/8"	6'8"	45-3/8"	82"	46-1/8"	82-1/2"	47-7/8"	83-1/4"
2'8"	6'8"	1'0"	6'8"	47"	82"	47-3/4"	82-1/2"	49-1/2"	83-1/4"
2'8"	6'8"	1'2"	6'8"	49"	82"	49-3/4"	82-1/2"	51-1/2"	83-1/4"
2'8"	8'0"	1'0"	8'0"	47"	98"	47-3/4"	98-1/2"	49-1/2"	99-1/4"
2'8"	8'0"	1'2"	8'0"	49"	98"	49-3/4"	98-1/2"	51-1/2"	99-1/4"
3'0"	6'8"	10-3/8"	6'8"	49-3/8"	82"	50-5/8"	82-1/2"	51-7/8"	83-1/4"
3'0"	6'8"	1'0"	6'8"	51"	82"	51-3/4"	82-1/2"	53-1/2"	83-1/4"
3'0"	6'8"	1'2"	6'8"	53"	82"	53-3/4"	82-1/2"	55-1/2"	83-1/4"
3'0"	8'0"	1'0"	8'0"	51"	98"	51-3/4"	98-1/2"	53-1/2"	99-1/4"
3'0"	8'0"	1'2"	8'0"	53"	98"	53-3/4"	98-1/2"	55-1/2"	99-1/4"

All dimensions shown are for inswing doors - deduct 1" from the actual door size, the rough opening size and the outside brickmould size height for outswing or handicap accessible doors. See product selection detailed in the catalog to determine if the entry door style you have selected is available. Floor covering can affect rough opening heights.

SINGLE DOOR WITH TWO SIDELITES

NOMINAL DOOR SIZE		NOMINAL SIDELITE SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOULD SIZE	
Width	Height	Width	Height	Width	Height	Width	Height	Width	Height
2'6"	6'8"	10-3/8"	6'8"	55-1/4"	82"	56"	82-1/2"	57-3/4"	83-1/4"
2'6"	6'8"	1'0"	6'8"	58-1/2"	82"	59-1/8"	82-1/2"	61"	83-1/4"
2'6"	6'8"	1'2"	6'8"	62-1/2"	82"	63-1/8"	82-1/2"	65"	83-1/4"
2'8"	6'8"	10-3/8"	6'8"	57-1/4"	82"	58"	82-1/2"	59-3/4"	83-1/4"
2'8"	6'8"	1'0"	6'8"	60-1/2"	82"	61-1/8"	82-1/2"	63"	83-1/4"
2'8"	6'8"	1'2"	6'8"	64-1/2"	82"	65-1/8"	82-1/2"	67"	83-1/4"
2'8"	8'0"	1'0"	8'0"	60-1/2"	98"	61-1/8"	98-1/2"	63"	99-1/4"
2'8"	8'0"	1'2"	8'0"	64-1/2"	98"	65-1/8"	98-1/2"	67"	99-1/4"
3'0"	6'8"	10-3/8"	6'8"	61-1/4"	82"	62"	82-1/2"	63-3/4"	83-1/4"
3'0"	6'8"	1'0"	6'8"	64-1/2"	82"	65-1/8"	82-1/2"	67"	83-1/4"
3'0"	6'8"	1'2"	6'8"	68-1/2"	82"	69-1/8"	82-1/2"	71"	83-1/4"
3'0"	8'0"	1'0"	8'0"	64-1/2"	98"	65-1/8"	98-1/2"	67"	99-1/4"
3'0"	8'0"	1'2"	8'0"	68-1/2"	98"	69-1/8"	98-1/2"	71"	99-1/4"

All dimensions shown are for inswing doors - deduct 1" from the actual door size, the rough opening size and the outside brickmould size height for outswing or handicap accessible doors. See product selection detailed in the catalog to determine if the entry door style you have selected is available. Floor covering can affect rough opening heights.

TRANSOMS


E-65	T-65	S-65	C-38	E-64
Elliptical	Rectangle	Shoulder	Half Circle	Full Half Circle
Add 15-3/4" to door height	Add 12-1/4" to door height	Add 17-1/2" to door height	Add 19-1/4" to door height	Add 34-3/4" to door height

DOUBLE DOOR


NOMINAL DOOR SIZE		DOOR UNIT ACTUAL SIZE		ROUGH OPENING SIZE (WOOD STUD)		OUTSIDE BRICKMOULD SIZE	
Width	Height	Width	Height	Width	Height	Width	Height
5'0"	6'8"	62"	82"	62-3/4"	82-1/2"	64-1/2"	83-1/4"
5'4"	6'8"	66"	82"	66-3/4"	82-1/2"	68-1/2"	83-1/4"
5'4"	8'0"	66"	98"	66-3/4"	98-1/2"	68-1/2"	99-1/4"
6'0"	6'8"	74"	82"	74-3/4"	82-1/2"	76-1/2"	83-1/4"
6'0"	8'0"	74"	98"	74-3/4"	98-1/2"	76-1/2"	99-1/4"

All dimensions shown are for inswing doors - deduct 1" from the actual door size, the rough opening size and the outside brickmould size height for outswing handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available. Recommended rough openings for the FAST-FRAME™ adjustable steel frame offering are different than the dimensions shown in this chart - see rough opening chart titled FAST-FRAME. Floor covering can affect rough opening heights.

Masonite Frame Size & Hardware Locations



Masonite Standard Hinge Locations



DOOR HANDING CHART FOR ENTRY & PATIO DOORS

INSWING		OUTSWING	
LEFT HAND	RIGHT HAND	RIGHT HAND	LEFT HAND
Doors pictured above assume you are standing on the outside of the building.			
SINGLE DOOR			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
SINGLE DOOR WITH LEFT-HAND SIDELITE			
Exterior Left-Hand Hinge Side	Exterior Right-Hand Lock Side	Exterior Right-Hand Hinge Side	Exterior Left-Hand Lock Side
SINGLE DOOR WITH RIGHT-HAND SIDELITE			
Exterior Left-Hand Lock Side	Exterior Right-Hand Hinge Side	Exterior Right-Hand Lock Side	Exterior Left-Hand Hinge Side
SINGLE DOOR WITH DOUBLE SIDELITES			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
FRENCH DOUBLE DOORS			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
FRENCH DOUBLE DOORS WITH DOUBLE SIDELITES			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
CENTER-SWING DOUBLE DOORS*			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
TRIPLE FRENCH DOORS*			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing
CENTER-SWING TRIPLE DOORS*			
Exterior Left-Hand Inswing	Exterior Right-Hand Inswing	Exterior Right-Hand Outswing	Exterior Left-Hand Outswing

Active Doors

Inactive Doors

Fixed Doors

Complete list of handing options available at Masonite.com

*Typically a patio configuration

INSWING PATIO DOORS

1 PANEL	2 PANEL	2 PANEL	3 PANEL	3 PANEL*
F	R F F L	L S	F F F L F F L	F L S F S R
R	L F F R	S R	F L F R F F	S R F* L S F*
L	F F	*French patio dual bypassing screen available.	F R F F F R	
			L F F	

4 PANEL	4 PANEL
F R F F F F L F	F S R F
F L F F F F R F	F L S F

F - FIXED
L - LEFT
R - RIGHT
S - SEMI-ACTIVE

Inswing patio doors are available with rolling screen option in most cases.

OUTSWING PATIO DOORS*

1 PANEL	2 PANEL	2 PANEL	3 PANEL	3 PANEL
FO	LO FO FO RO	RO SO	FO FO FO FO FO RO	FO RO SO FO SO LO
RO	RO FO FO LO	SO LO	FO RO FO LO FO FO	SO LO FO RO SO FO
LO	FO FO		FO LO FO FO FO LO	

FO = FIXED OUTSWING
LO = LEFT OUTSWING
RO = RIGHT OUTSWING
SO = SEMI-ACTIVE OUTSWING

*No screen available.
We recommend Phantom Screens.
Visit phantomscreens.com for more information.

4 PANEL	4 PANEL
FO LO FO FO FO FO RO RO	FO SO LO FO
FO RO FO FO FO FO LO FO	FO RO SO FO

When ordering fixed units be sure to match inswing or outswing unit for proper alignment.

HIGH PERFORMANCE DOOR COMPONENTS



Doors with Endura Components install faster and better—with long lasting performance that puts an end to costly callbacks.



FRAMESAVER® DOOR FRAME

The rot-proof wood door frame solution backed by a fully-transferable lifetime limited warranty. A proven record of quality, durability and performance, means you can't go wrong the original FrameSaver®. Building a lasting door requires a tough, tested frame. That's why the industry has trusted FrameSaver® for the over 15 years. FrameSaver is backed by a fully-transferable lifetime limited warranty—though you won't need it. FrameSaver's finger-jointed wood composite protects the base of the frame from moisture exposure, preventing water from wicking into the wood. Rot never has a chance.



ADAPTIVE® ADA SILLS

ADaptive® isn't just a sill—it's a system with integrally designed components that combats performance issues by fighting leaks at their most common sources: (1) Beneath the sill, (2) at the weatherstrip channel, (3) Between the base of the jamb and the edge of the sill, and (4) over the sill. ADaptive® inswing sills have achieved up to DP-35 water performance, becoming the first-ever water rated ADA-compliant sill system on the market. Adaptive outswing sills has a certified water rating and "no questions asked" ADA compliance.

PANOLOCK+ MULTI-POINT LOCK

PanoLock®+ is the first and only multi-point lock that works with a variety of off-the-shelf hardware, including smart locks. That's affordable security + performance for every entry and patio door. An innovative system of adapters lets PanoLock®+ work with a wide variety of off-the-shelf hardware, including electronic deadbolts. Brands like Schlage®, Kwikset®, and more. A simple turn of the deadbolt operates both tapered bolts smoothly. The handle-set operates the handleset latch. Three points of secure contact. PanoLock+ is easy to live with, even after years of use.



Scan to check your
locks capability



Z-ARTICULATING CAP SILL (Z-AC)

The Z-Articulating Cap Sill (Z-AC) automatically adjusts, saving time, eliminating maintenance needs and service calls, and delivering constant protection against leaks, drafts and insects, even when conditions aren't perfect or change over time.

Cut costs, not corners: With Z-AC, you can work smarter-not harder. Z-AC eliminates extra installation steps and common headaches, works in imperfect conditions and overall works with the limited labor resources you have, while doing the work of the labor you don't.





ULTIMATE SLIDE BOLT ASTRAGAL

The Ultimate Slide Bolt Astragal combines the simple slide operation of Ultimate Lite Astragal with enhanced sealing power and security. Featuring an 18" auto-locking Flush Bolt and a Spring-loaded Astragal boot, the Slide Bolt Astragal protects your home from intruders and infiltration, while preventing damage and performance issues common with competitor systems.



ULTIMATE FLIP LEVER™ ASTRAGAL

The Ultimate Flip Lever Astragal combines enhanced performance with the benefits of enhanced accessibility and ease of use. Just one flip of the easy-to-use built-in lever activates the Floating Boot and Flush Bolt system, securing the unit with two lasting seals, even in imperfect or changing conditions. The Floating Boot and Flush Bolt deliver a perfect seal every time, operating independently of each other to seal against the lowest point on the sill when engaged, while lifting clear of the sill when retracted for lasting, damage-free operation.



ULTIMATE MULTI-POINT ASTRAGAL

Protect your home and eliminate traditional double-door performance challenges with the one of a kind Multi-Point Astragal. MPA delivers the sealing power of a multi-point lock without the multi-point price tag - multi-point functionality is built right into the astragal and even works with standard deadbolt packages for ultimate cost-efficiency. Plus, MPA automatically forms a custom seal against the sill cap, even if conditions aren't perfect, saving time and eliminating costly service calls. Beyond delivering improved performance, MPA is easy to use, providing enhanced accessibility for a product homeowners will love.

Practically perfect in every way — for paneled doors, that is. The Panel Pet Door Insert™ easily installs into paneled human doors to let your pet go outside for potty breaks on their own.

The size and style of this pet door allow you to use the Panel Pet Door Insert™ as a replacement dog door to cover up a preexisting cutout in your human door or hide a small cutting error (because accidents happen). This pet door also blends in nicely with your human panel door since you won't have to cut between panels to install the pet door.

With 2 different rise options, you can adjust the height of the pet door to fit your dog's size best. Meanwhile, the pet door's paintable surface lets you personalize it to match your style. The pet door material is weatherproof to withstand hot and cold temperatures without cracking. Magnets on the 2 flexible, replaceable vinyl flaps adjust for consistent closure preventing fewer drafts and weather from coming indoors.

When it's bedtime, and you want your dog to stay inside, use the snap-on closing panel as a dog door cover to keep your pet from going outside until morning. Your dog deserves the best pet door for their next backyard adventure. Trust PetSafe® to keep your pet healthy, safe and happy.




PET SAFE PET DOOR INSERT DOOR SIZING CHART

Pet Size	Flap Opening	Cut Out	Rise Options
Up to 100 pounds	10-1/8" x 16-1/2"	23" x 26-1/4"	8" or 10-1/2"

The Panel Pet Door Insert™ fits most 2' 8", 2' 10" and 3' 0" doors with basic 2-panel, 4-panel, 6-panel designs. You can also use this pet door with flat, metal, fiberglass, wood or glass top doors.

FORTRESS COATING SYSTEMS™ PREMIUM PAINT STOCK COLORS

Fortress Coating Systems™ provide a superior finish on many of our products. Utilizing premium coatings from industry leading suppliers, our prime, clear, stained or painted finishes provide optimum appearance and durability.



FORTRESS COATING SYSTEMS™ STAIN STOCK COLORS


SHOWN ON MAHOGANY



SHOWN ON OAK



SHOWN ON FIR



FORTRESS COATING SYSTEMS™

- For best paint results we require painting primed composite jambs & PVC casing
- For best staining we require ready-stain jambs and ready-stain exterior brickmould casing.

PREFINISHING

Save time and job site labor costs by having your doors prefinished. Our state-of-the-art prefinishing process allows us to offer a superior primed or paint finish on all of our doors and frames.



- Custom colors available. Please supply Sherwin Williams™ paint number or Benjamin Moore™ paint number
- Double door includes painted interior or exterior astragal, same color as panel unless specified otherwise
- Colors vary due to printing. Please confirm your color choices

EXTERIOR DOOR OPTIONS

6'8" Frame - single unit
7'0", 8'0" FrameSaver®
Standard

SINGLE DOUBLE

IN SWING BALL BEARING 4"x4" 5/8" RADIUS HINGE

STOCKED FINISH	Bright Brass (Standard), Dull Chrome, Satin Nickel, Bright Chrome, Dark Antique Bronze, Antique Brass, Flat Black	✓	✓
----------------	---	---	---

IN SWING 4"x4" STEEL STANDARD DUTY SQUARE CORNER HINGE

STOCKED FINISH	Black, Oil Rubbed Bronze, Primed	✓	✓
----------------	----------------------------------	---	---

IN SWING 4"x4" STEEL HEAVY DUTY SQUARE CORNER BALL BEARING HINGE

STOCKED FINISH	Satin Nickel, Dull Chrome, Black, Oil Rubbed Bronze, Bright Brass	✓	✓
----------------	---	---	---

Hinges

OUT SWING 4"x4" 5/8" RADIUS NRP HINGE

STANDARD FINISH	Light Brass	✓	✓
-----------------	-------------	---	---

OPTIONAL FINISH	Dull Chrome, Primed, Stainless Steel	✓	✓
-----------------	--------------------------------------	---	---

4"x4" 5/8" RADIUS SPRING HINGE

STANDARD FINISH	Light Brass	✓	✓
-----------------	-------------	---	---

OPTIONAL FINISH	Bright Brass, Satin Nickel, Flat Black, Primed, Dark Antique Bronze, Bright Chrome	✓	✓
-----------------	--	---	---

6'8" 8'0"

PanoLock - Multi-point lock system (add strike plate kit from selection below)

✓ ✓

PanoLock Strike plate kits Satin Nickel and Brass

✓ -

PanoLock Strike plate kits Black, Victorian Bronze, Stainless Steel

✓ -

Prep & Install standard Trilennium™ 3-point (single 6'8" door)

✓ -

Multi-Point Locks

Note: Our standard Trilennium™ Hardware for single doors includes Trilennium™ 3000 Series 3-point lock system with stainless steel edge plate, 3 (satin nickel, bright brass or victorian bronze - specify) strike plates & dust boxes, construction handle set. (Add for 3-point hardware below.)

Trilennium™ Active 3-point Eclipse hardware set Brass for single swing door unit

✓ -

Trilennium™ Active 3-point Eclipse hardware set Victorian Bronze for single swing door unit

✓ -

Trilennium™ Active 3-point Eclipse hardware set Satin Nickel for single swing door unit

✓ -

EXTERIOR DOOR OPTIONS

Miscellaneous	Prep & Install Mail Slot	✓		
	Brass Peep Site	✓		
	Dull Chrome Peep Site	✓		
	White Weatherstrip	✓		
	Door Panel Only	✓		
	Bore for Deadbolt and Strike Prep Jamb (prepped for Schlage deadbolt)	✓		
				6'8" APPLIED EACH SIDELITE INSTALLED
Storm Door Adapter Kits	PFJ-4-9/16" Storm Door Adapter Per Mull Post (FrameSaver® Standard)	✓		
	PFJ 6-9/16" Storm Door Adapter Per Mull Post (FrameSaver® Standard)	✓		
	Composite White Capped or Ready-to-Stain 4-9/16" Storm Door Adapter Per Mull Post	✓		
	Composite White Capped or Ready-to-Stain 6-9/16" Storm Door Adapter Per Mull Post	✓		
	Boxed Construction (per sidelite) voids Performance Warranty	✓		
		SINGLE	DOUBLE	EACH SIDELITE
Special Sizes	Cut Down - Single Cut - Steel (up to 3" off the bottom)	✓	✓	✓
	Cut Down - Single Cut - Fiberglass (up to 3" off the bottom)	✓	✓	✓
	Cut Down - Double Cut - Steel (up to 6")	✓	✓	✓
	Cut Down - Double Cut - Fiberglass (up to 6")v	✓	✓	✓

**FOR CUT DOWNS OTHER THAN OPTION LISTED PLEASE CALL FOR QUOTE.
ADDITIONAL LAYOUT & SHOP TIME REQUIRED.**

EXTERIOR DOOR OPTIONS

		6'8" Frame - Single Unit		
		SINGLE	DOUBLE	EACH SIDELITE
Jamb Options	4-9/16" FJ Primed Jambs	✓	✓	✓
	6-9/16" FJ Primed Jambs	✓	✓	✓
	8-9/16" FJ Primed Jambs	✓	✓	✓
	4-9/16" Clear Pine Jambs	✓	✓	✓
	6-9/16" Clear Pine Jambs	✓	✓	✓
	8-9/16" Clear Pine Jambs	✓	✓	✓
	Rip Jamb Width (N/A on white capped or ready stain composite)	✓	✓	✓
Endura FrameSaver	4-9/16" Endura FrameSaver (we recommend using one of our PVC casing options)	✓	✓	✓
	5-1/4" Endura FrameSaver (we recommend using one of our PVC casing options)	✓	✓	✓
	6-9/16" Endura FrameSaver (we recommend using one of our PVC casing options)	✓	✓	✓
	7-5/8" Endura FrameSaver (we recommend using one of our PVC casing options)	✓	✓	✓
	8-9/16" Endura FrameSaver (we recommend using one of our PVC casing options)	✓	✓	✓
Composite Jambs	Primed White - 4-9/16" (add for casing below) - Required for Fortress Finishing Paint	✓	✓	✓
	Primed White - 6-9/16" (add for casing below) - Required for Fortress Finishing Paint	✓	✓	✓
	White Capped - 4-9/16" (add for casing below)	✓	✓	✓
	White Capped - 6-9/16" (add for casing below)	✓	✓	✓
	Embossed Ready to Stain - 4-9/16" (add for casing below) - Required for Fortress Finishing Stain	✓	✓	✓
	Embossed Ready to Stain - 6-9/16" (add for casing below) - Required for Fortress Finishing Stain	✓	✓	✓
Casing See Page 6	Primed Brickmould 1-1/4" x 2"	STANDARD	STANDARD	STANDARD
	FrameSaver Primed Brickmould 1-1/4" x 2"	✓	✓	✓
	5/4 x 4" (1-1/16" x 3-1/2") Primed Flat Casing	✓	✓	✓
	PVC Brickmould NO ROT	✓	✓	✓
	PVC Brickmould with "J" Channel NO ROT	✓	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing NO ROT	✓	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing with "J" Channel NO ROT	✓	✓	✓
	Composite Ready to Stain Brickmould	✓	✓	✓
	Clear Pine Brickmould 1-1/4" x 2"	✓	✓	✓
	5/4 x 4" (1-1/16" x 3-1/2") Clear Flat Casing	✓	✓	✓
	Notch Back Flat or 908 Casing to accommodate 4-3/4" or 6-3/4" wall (choose 4-9/16" or 6-9/16 Jamb for this option) (+add)	✓	✓	✓
	No Casing	✓	✓	✓

EXTERIOR DOOR OPTIONS

		6'8" Frame – Single Unit		
		SINGLE	DOUBLE	EACH SIDELITE
INSWING				
	Z-AC Self Adjusting Aluminum Sill With Construction Cover (Oak Grained Cap)	✓	✓	✓
	Z-AC Self Adjusting Aluminum Bronze Sill With Construction Cover (Walnut Cap)	✓	✓	✓
	Z-Fen Aluminum Mill Sill, (No Construction Cover)	✓	-	-
	1/2" Adaptive ADA sill with Thermal Break mill finish	✓	✓	✓
	1/2" Adaptive ADA Tile Back sill with Thermal Break mill finish	✓	✓	✓
	1/2" Adaptive ADA sill with Thermal Break Bronze finish	✓	✓	✓
	1/2" Adaptive ADA Tile Back sill with Thermal Break Bronze finish	✓	✓	✓
	1/2" Aluminum Saddle ADA Public Access (Commercial Grade)	✓	✓	✓
Sill Options Available	1/2" Aluminum Saddle Thermal Break (Commercial Grade)	✓	✓	✓
Bronze Call for Availability	1/2" Aluminum Tile Back ADA (4-9/16" Jamb Only - Commercial Grade)	✓	✓	-
OUTSWING INCLUDES 3 NON-REMOVABLE PIN HINGES				
	4-9/16" Outswing "Z" Series Bumper Sill (Aluminum)	✓	✓	✓
	6-9/16" Outswing "Z" Series Bumper Sill (Aluminum)	✓	✓	✓
	4-9/16" Outswing "Z" Series Bumper Sill (Bronze)	✓	✓	✓
	6-9/16" Outswing "Z" Series Bumper Sill (Bronze)	✓	✓	✓
	1/2" Outswing Adaptive ADA sill with Thermal Break mill finish	✓	✓	✓
	1/2" Outswing Adaptive ADA sill with Thermal Break Bronze finish	✓	✓	✓
	1/2" Aluminum Saddle ADA Public Access (Commercial Grade)	✓	✓	✓
	1/2" Aluminum Saddle ADA Public Access with Thermal Break (Commercial Grade)	✓	✓	✓
Endura VersaPan Flashing (40" for singles, purchase multiple kits for wider units)	Sill Pan Flashing 4-9/16" single	✓	✓	-
	Sill Pan Flashing 6-9/16" single	✓	✓	-
	Sill Pan trimmable up to 7-1/4" jamb thickness	✓	✓	-
Double door options	6'8" Double door (with slide bolt astragal) Single door x 2	STANDARD		
	6'8" Double door with flip lever astragal	✓		
	6'8" Double door with multi-point astragal	✓		
7'0" & 8'0" Jamb Options (for other options please call)	4-9/16" FrameSaver Primed Jamb	STANDARD	STANDARD	STANDARD
	6-9/16" FrameSaver Primed Jamb	✓	✓	✓
	4-9/16" Primed Composite Jamb	✓	✓	✓
	6-9/16" Primed Composite Jamb	✓	✓	✓
7'0" & 8'0" Casing options	Primed Brickmould 1-1/4" x 2"	STANDARD	STANDARD	STANDARD
	5/4 x 4" (1-1/16" x 3-1/2") Primed Flat Casing	✓	✓	✓
	PVC Brickmould NO ROT	✓	✓	✓
	PVC Brickmould with "J" Channel NO ROT	✓	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing NO ROT	✓	✓	✓
	PVC 5/4 x 3-1/2" Flat Casing with "J" Channel NO ROT	✓	✓	✓
7'0" & 8'0" Double door options	7'0" Double door is single door X 2 + Add (stock white ultimate astragal only)	✓		
	8'0" Double door is single door X 2 + Add (stock white multi-point astragal only)	✓		
	Multi-point Astragal uses your standard lock and deadbolt, no special hardware is needed			



Wholesale Doors
COMMERCIAL DIVISION

CLEARYMILLWORK.COM

