


Atlantech

PATIO SYSTEMS™



The 650 patio door combines the durability of PVC with the strength of wood inserts in the jambs. Designed with ease of installation in mind, this door boasts a multitude of features that make it perfectly adaptable to any type of construction. With its standard aluminium sill cover and jamb pocket covers, the 650 offers an exceptional finish, while delivering great performance in a contemporary style.



Harmonized Standards
 AAMA / WDMA / CSA101 / I.S.2 /
 A440-11 (NAFS11) & A44051-17

Reference: 71" x 81" door

Air-Tightness: A3 Passed
Water-tightness: 440 Pa
Structure: PG-60

Energy Efficiency
 Double Glazed., Low-E Argon 366 face #2
 U Value: 0.28
 SHGC: 0.21

650 SERIES

ATLANTECH PVC SLIDING PATIO DOOR
NARROW STILE & RAILS



Stocked 71 1/2" x 79 1/2"
Clear Glass | Low-E Argon



Stocked 71 1/2" x 79 1/2"
Integrated Blinds | Low-E






SCAN FOR MORE
INFORMATION




Unit Dimensions:



X = Operational O = Stationery
As viewed from outside



3 & 4 Panel Door Units Shipped Knock Down



Give your home a signature look by opting for high quality structure with outstanding efficiency. The maintenance-free frame combines the strength of wood with the durability of PVC. Unparalleled comfort and better energy efficiency thanks to reinforced welded PVC panels with dual weatherstripping.

Cavity filler


Dual pile weatherstrip

Steel reinforcements in the vertical stiles



Standard mortise handle with double point locking mechanism

Multi-chambered 5 3/4" PVC frame. Wood inserts in side jambs



Nailing Fin / Flashing (Snaps into accessory groove)

Sealed unit with tempered glass and non-conductive spacer with low-E glass

Flush glazed exterior glass panel for clean look

Welded PVC Panel
 • Profiles welded at 45° for improved thermal resistance
 • Interior glazing stops

Aluminum sill cover

4 1/2" stiles and rails

9° quick drain sloped sill

Harmonized Standards
 AAMA / WDMA / CSA101 /
 I.S.2 / A440-08

Reference: 71 1/2" x 81" door

Air-Tightness: A3 Passed
Water-tightness: 400 Pa
Structure: DP-45
Overall: PG-R45

Energy Efficiency
 Double Glazed., Low-E Argon 80/71 face #3
 U Value: 0.30
 SHGC: 0.48

670 SERIES

ATLANTECH PVC SLIDING PATIO DOOR
WIDE STILE & RAILS



Stocked 5' 0" x 6' 8" & 6' 0" x 6' 8"

Clear Glass | Low-E Argon



Stocked 6' 0" x 6' 8"

15-Lite GBG | Low-E Argon



Stocked 6' 0" x 6' 8"

Integrated Blinds | Low-E



*Integrated blinds are not energy star rated



X = Operational O = Stationery
As viewed from outside

5' 0" x 6' 8"

Unit Dimensions - 59 1/2" x 79 1/2"

6' 0" x 6' 8"

Unit Dimensions - 71 1/2" x 79 1/2"

Aluminum Patio Doors



Studio

Aluminum Sliding Patio Door

The Studio patio door exceeds industry performance standards. Ideal for high-rise projects, this door is built to withstand the weather and high winds at the top floors. Studio is a flexible aluminum patio door designed for architectural uses with multiple customization options.



SCAN FOR MORE
INFORMATION

Urbania

Aluminum Sliding Patio Door

Urbania stands apart with its unrivalled energy performance. Its clean and simple lines, large glass surface, and well-paired contemporary-styled handle are sure to blend perfectly with your home.



Loft

Aluminum Lift & Slide Patio Door

Loft extends your living space into the outdoors. Its lift mechanism ensures the large panels are easy and simple to move while providing unparalleled airtightness when closed.



SCAN FOR MORE
INFORMATION

Atlantech PATIO SYSTEMS™



Cleary
WHOLESALE

CLEARY WHOLESALE 800-899-4533

COMMERCIAL DIVISION 800-225-4252



CLEARYWHOLESALE.COM